

RÉFÉRENCES BIBLIOGRAPHIQUES

A

Aboal, Alvarez-Cobelas, Cambra & Ector 2003. Floristic list of non marine diatoms (Bacillariophyceae) of Iberian Peninsula, Balearic Islands, and Canary Islands. Updated taxonomy and bibliography. *Diatom Monographs* 4. 639 pp.

Agardh 1812. Dispositio Algarum Suecae. *Lundae. Litteris Berlingianus.* 45 pp.

Agardh 1827. Aufzählung einiger in den ostereichischen Ländern gefundenen neuen Gattungen und Arten von Algen nebst ihrer Diagnostik und beigefügten Bemerkungen. *Flora oder Botanische Zeitung, Regensburg* 2 : 625-640.

Agardh 1830. Conspectus Criticus Diatomacearum. Part 1 : 1-16. *Lundae. Litteris Berlingianus.*

Agardh 1831. Conspectus Criticus Diatomacearum. Part 3 : 33-48. *Lundae. Litteris Berlingianis.*

Alles, Nörpel-Schempp & Lange-Bertalot 1991. Zur Systematik und Ökologie charakteristischer Eunotia-Arten (Bacillariophyceae) in elektrolyt-armen Bachoberläufen. *Nova Hedwigia* 53 (1-2) : 171-213.

Antoniades, Hamilton, Douglas & Smol 2008. Diatoms of North America : The freshwater floras of Prince Patrick, Ellef Ringnes and Northern Ellesmere Islands from the Canadian Arctic Archipelago. In Lange-Bertalot (Eds.), *Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 17. A.R.G. Gantner Verlag K.G. 649 pp.

Archibald 1983. The diatoms from the Sundays and Great Fish Rivers in the Eastern Cape Province of South Africa. *Bibliotheca Diatomologica* 1. 432 pp.

B

Bahls 2012. In *Diatoms of the United States.*

Bahls 2011. In *Diatoms of the United States.*

Belcher & Swale 1978. Skeletonema potamos and Cyclotella atomus Bacillariophyceae in the plankton of rivers in England and France. *British Phycological Journal* 13 (2) : 177-182.

Berkeley 1833. Gleanings of British algae; being an appendix to the supplement to English Botany. C.E. Sowerby, London. 50 pp., 20 pls.

Bily & Marvan 1959. Achnanthes catenata sp. nov. *Presdliia* 31 : 34-35.

Bory de Saint-Vincent 1822. Dictionnaire Classique d'Histoire Naturelle. Vol. 1. *Rey et Gravier; Baudouin Frères*, Paris.

Bory de Saint-Vincent 1824. Dictionnaire Classique d'Histoire Naturelle. Vol. 5. *Rey et Gravier; Baudouin Frères*, Paris.

Boyer 1927. Synopsis of North American Diatomaceae. Part II : Naviculatae, Surirellatae. *Proceedings of The Academy of Natural Sciences of Philadelphia* 79 : 229-583.

Boyle, Pickett-Heaps & Czarnecki 1984. Valve morphogenesis in the pennate diatom *Achnanthes coarctata*. *Journal of Phycology* 20 (4) : 563-573.

Bramburger, Haffner, Hamilton, Hinz & Hehanussa 2006. An examination of species within the genus *Surirella* from Malili Lakes, Sulawesi Island, Indonesia, with descriptions of 11 new taxa. *Diatom Research* 21 (1) : 1-56.

Brébisson & Godey 1835. Algues des environs de Falaise, décrites et dessinées. *Imprimerie de Brée L'Aîné, Falaise*. 66 pp.

Brébisson 1838. Considérations sur les diatomées et essai d'une classification des genres et des espèces appartenant à cette famille. *Imprimerie de Brée L'Aîné, Falaise*. 22 pp.

Bruder & Medlin 2008. Morphological and molecular investigations of naviculoid diatoms. II. Selected genera and families. *Diatom Research* 23 (2) : 283-329.

Brun 1880. Diatomées des Alpes et du Jura et de la région Suisse et Française des Environs de Genève. *Imprimerie Ch. Schuchardt, Genève*. 146 pp.

Bukhtiyarova 1995. Novye taksonomicheskie kombinatsii diatomovykh vodoroslei (Bacillariophyta). [New taxonomic combinations of diatoms (Bacillariophyta)]. *Algologia* 5 (4) : 417-424.

Bukhtiyarova 1999. Diatoms of Ukraine inland waters. *National Academy of Sciences of Ukraine, M.G. Kholodny Institute of Botany, Kyiv, Ukraine*. 133 pp.

Bukhtiyarova 2006. Additional data on the diatom genus *Karayevia* and a proposal to reject the genus *Kolbesia*. *Nova Hedwigia Beiheft* 130 : 85-96.

Bukhtiyarova & Round 1996. Revision of the genus *Achnanthes* sensu lato. *Psammothidium*, a new genus based on *Achnantheidium marginulatum*. *Diatom Research* 11 : 1-30.

C

Camburn & Charles 2000. Diatoms of low-alkalinity lakes in the northeastern United States. *Academy of Natural Sciences of Philadelphia Special Publication* 18. 152 pp.

Cantonati, Lange-Bertalot & Angeli 2010. *Neidiomorpha* gen. nov. (Bacillariophyta) : A new freshwater diatom genus separated from *Neidium* Pfitzer. *Botanical studies* 51 :195-202.

Carlson 1913. Süßwasser-Algen aus der Antarktis, Süd-Georgien und den Falkland Inseln. Wissenschaftliche Ergebnisse der Schwedischen Südpolar-Expedition 1901-1903, unter leitung von Dr. Otto Nordenskjöld. Stockholm, *Lithographisches Institut des Generalstabs* 4 (14). 94 pp.

- Carter & Bailey-Watts 1981.** A taxonomic study of diatoms from standing freshwaters in Shetland. *Nova Hedwigia* 33 : 513-629.
- Carter & Round 1993.** Studies on freshwater Amphora species. V. Amphora montana and some rather similar forms. *Diatom Research* 8 (1) : 1-11.
- Cholnoky 1958.** Hydrobiologische Untersuchungen in Transvaal II. Selbstreinigung im Jukskei-Crocodile-Flußsystem. *Hydrobiologia* 11 : 205-266.
- Cholnoky 1966.** Diatomeen-Assoziationen aus einigen Quellen in Südwestafrika und Betschuanaland. *Nova Hedwigia* 8 : 55-101.
- Cleve 1881.** On some new and little known diatoms. *Kongliga Svenska-Vetenskaps Akademiens Handlingar* 18 (5) : 1-28, 6 pls.
- Cleve 1891.** The diatoms of Finland. *Actas Societas Pro Fauna Flora Fennica* 8 (2) : 1-68, 3 pls.
- Cleve 1894.** Synopsis of the Naviculoid Diatoms. Part I. Kongliga Svenska-Vetenskaps Akademiens Handlingar 26 (2) : 1-194, 5 pls.
- Cleve 1895.** Synopsis of the Naviculoid diatoms. Part 2. Kongliga Svenska Vetenskapsak Akademiens Handlingar 27 (3) : 1-219, 4 pls.
- Cleve & Grunow 1880.** Beiträge zur Kenntnis der arktischen Diatomeen. *Kongliga Svenska-Vetenskaps Akademiens Handlingar* 17 (2) : 121 pp., 7 pls.
- Cleve & Jentzsch 1882.** Über einige diluviale und aluviale Diatomeenschichten Norddeutschlands. Schriften der Physikalisch-ökonomischen. Gesellschaft zu Königsberg 22 (1881) : 129-170.
- Cleve & Möller 1877.** Diatoms. Part I. *Esatas Edquists Boktryckeri*, Upsala. 1-48.
- Cleve & Möller 1878.** Diatoms. Part II. *Esatas Edquists Boktryckeri*, Upsala. 49-108.
- Cleve & Möller 1879.** Diatoms. Part IV. *Esatas Edquists Boktryckeri*, Upsala. 169-216.
- Cleve-Euler 1915.** New contributions to the diatomaceous flora of Finland. *Arkiv för Botanik* 14 (9) : 1-81, 4 pls.
- Cleve-Euler 1922.** Diatomeen-verzeichnisse in "Beschreibung zur Kartenblätter Väse". *Sveriges geologiska undersökning*. Series Aa. Stockholm. No. 151.
- Cleve-Euler 1932.** Die Kieselalgen des Tåkernsees in Schweden. *Kungliga Svenska Vetenskaps-Akademiens Handlingar*. Serie 3, 11 (2) : 254 pp.
- Cleve-Euler 1951-1955.** Die Diatomeen von Schweden und Finnland. *Kongliga Svenska Vetenskaps-Akademiens Handlingar*. Serie 4, 1/5 : 1-163 (1951); 5/5 : 1-153 (1952); 2/5 : 1-158 (1953); 3/5 : 1-255 (1953); 4/5 : 1-232 (1955). Stockholm, Reprint in *Bibliotheca Phycologica* Band 5, Lehre 1968.
- Compère 2001.** Ulnaria (Kützing) Compère, a new genus name for Fragilaria subgen. Alterasynedra Lange-Bertalot with comments on the typification of Synedra Ehrenberg. In Jahn, Kociolek, Witkowski

& Compère (Eds.), Lange-Bertalot-Festschrift, *Studies on Diatoms*, A.R.G. Gantnter Verlag K.G. Ruggell. 97-101.

Coste & Ector 2000. Diatomées invasives exotiques ou rares en France : principales observations effectuées au cours des dernières décennies. *Systematics Geography of Plants* 70 : 373-400.

Coste & Ricard 1980. Observation en microscopie photonique de quelques Nitzschia nouvelles ou intéressantes dont la striation est à la limite du pouvoir de résolution. *Cryptogamie, Algologie* 1 (3) : 187-212.

Coste & Ricard 1982. Contribution à l'étude des diatomées d'eau douce des Seychelles et de l'île Maurice. *Cryptogamie, Algologie* 3 (4) : 279-313.

Cox 1975. A reappraisal of the diatom genus Amphipleura Kütz. using light and electron microscopy. *British Phycological Journal* 10 (1) : 1-12.

Cox 1987. Placoneis Mereschkowsky : the re-evaluation of a diatom genus originally characterized by its chloroplast type. *Diatom Research* 2 (2) : 145-157.

Cox 1995. Taxonomic studies on the diatom genus Navicula Bory VII. The identity and typification of Navicula gregaria Donkin, N. cryptocephala Kutz. and related taxa. *Diatom Research* 10 : 91-111.

Cox 2003. Placoneis Mereschkowsky (Bacillariophyta) revisited : resolution of several typification and nomenclatural problems. including the generitype. *Botanical Journal of the Linnean Society* 141 : 53-83.

Crawford 1978. The taxonomy and classification of the diatom genus Melosira C. A. Agardh. III. Melosira lineata (Dillw.) C.A. Ag. and M. varians C.A.Ag. *Phycologia* 17 (3) : 237-250.

Crawford 1988. A reconsideration of Melosira areanaria and M. teres resulting in a proposed new genus Ellerbeckia. In *Algae and the Aquatic Environment (Round, F.E. editor)*, Biopress, Bristol. 413-433.

Czarnecki 1994. The Freshwater Diatom Culture Collection at Loras College, Dubuque, Iowa. In Kocielek (Eds.), *Proceedings of the 11th International Diatom Symposium*, San Francisco, 12-17 August 1990. *Memoirs of the California Academy of Sciences* 17 : 155-173.

D

Dawson 1972. Observations on the structure of some forms of Gomphonema parvulum Kützing. I. Morphology based on light microscopy, and transmission and scanning electron microscopy. *British Phycological Journal* 7 : 255-271.

De Toni 1891. Sylloge algarum omnium hucusque cognitarum. Vol. II. Sylloge Bacillariearum. Sectio I. Raphideae. Typis Seminarrii, Patavii. 490 pp.

De Toni 1892. Über die Bacillarien-Gattung Lysigonium Link. *Bulletin de la Société Impériale de Naturalistes de Moscou. Serie 2*, 6 (1) : 71-75.

Denys & Lange-Bertalot 1998. Observations on two taxa of the section *Nitzschia lanceolatae* (Bacillariophyceae) : *Nitzschia blankaartensis* sp. nov. and *N. bulnheimiana*. *Nova Hedwigia* 67 (1-2) : 247-258.

Denys, Muylaert, Krammer, Joosten, Reid & Rioual 2003. *Aulacoseira subborealis* stat. nov. (Bacillariophyceae) : a common but neglected plankton diatom. *Nova Hedwigia* 77 (3-4) : 407-427.

Desmazières 1854. *Plantes cryptogames de la France*. Ed. 3.

Donkin 1861. On the marine Diatomaceae of Northumberland with a description of several new species. *Quarterly Journal of Microscopical Science*, new series, London. 1 : 1-15.

Druart & Straub 1988. Description de deux nouvelles Cyclotelles (Bacillariophyceae) de milieux alcalins eutrophes : *Cyclotella costei* nov.sp. et *Cyclotella wuethrichiana* nov.sp. *Schweizerische Zeitschrift für Hydrologie* 50 (2) : 182-188.

Drum 1963. The cytoplasmic Fine Structure of the diatom, *Nitzschia palea*. *The Journal of Cell Biology* 18 (2) : 429-440.

E

Ector & Hlúbiková 2010. Atlas des diatomées des Alpes-Maritimes et de la Région Provence-Alpes-Côte d'Azur. *Centre de Recherche Public - Gabriel Lippmann*, Belvaux. 393 pp.

Edlund Levkov, Soninkhisgig, Kristic & Nakov 2006. Diatom species flocks in large ancient lakes : the *Navicula reinhardtii* complex from Lakes Hövsgöl (Mongolia) and Prespa (Macedonia). In Witkowski (Eds.), *Proceedings of the Eighteenth International Diatom Symposium*, Miedzyzdroje, Poland, 2-7 September 2004. *Biopress Limited*, Bristol, England. 61-74.

Edlund, Morales & Spaulding 2006b. The type and taxonomy of *Fragilaria elliptica* Schumann, a widely misconstrued taxon. In Witkowski (Eds.), *Proceedings of the 18th International Diatom Symposium*, Miedzyzdroje, Poland, 2-7 September 2004. *Biopress Limited*, Bristol, England. 53-59.

Ehrenberg 1832. Über die Entwicklung und Lebensdauer der Infusionsthier; nebst ferneren Beiträgen zu einer Vergleichung ihrer organischen Systeme. *Abhandlungen der Königlichen Akademie Wissenschaften zu Berlin*. 1-154, 4 pls.

Ehrenberg 1836. Weitere Nachrichten über das Vorkommen fossiler Infusorien. *Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlich-Preussischen Akademie der Wissenschaften zu Berlin*. 83-85.

Ehrenberg 1838. Die Infusionsthierchen als vollkommene Organismen. Ein Blick in das tiefere organische Leben der Natur. *Verlag von Leopold Voss*, Leipzig. 548 pp., 1-64 pls.

Ehrenberg 1839. Über die Bildung der Kreidefelsen und des Kreidemergels durch unsichtbare Organismen. *Abhandlungen der Königlichen Akademie der Wissenschaften zu Berlin, Physikalische Klasse* : 59-147, 4 pls.

Ehrenberg 1840. Charakteristik von 274 neuen arten von infusorien. *Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlich-Preussischen Akademie der Wissenschaften zu Berlin* : 197-219.

Ehrenberg 1843. Verbreitung und Einfluss des mikroskopischen Lebens in Süd-und Nord-Amerika. *Abhandlungen der Königlich-Akademie der Wissenschaften zu Berlin* : 291-445.

Ehrenberg 1854. Mikrogeologie. Einundvierzig Tafeln mit über viertausend grossentheils colorirten Figuren, Gezeichnet vom Verfasser [Atlas]. *Leopold Voss, Leipzig*. 40pls.

Ehrenberg 1876. Fortsetzung der mikrogeologischen Studien als Gesamt-Übersicht der mikroskopischen Paläontologie gleichartig analysirter Gebirgsarten der Erde, mit specieller Rücksicht auf den Polycystinen-Mergel von Barbados. *Abhandlungen der Königlich-Akademie der Wissenschaften zu Berlin, Physikalische Klass.* 1-225, 30 pls.

English 2011. In *Diatoms of the United States*.

English & Potapova 2012. Ontogenetic and interspecific valve shape variation in the Pinnatae group of the genus *Surirella* and the description of *S. lacrimula* sp. nov. *Diatom Research* 27 (1) : 9-27.

Evans, Wortley, Simpson, Chepurinov & Mann 2008. A molecular systematic approach to explore diversity within the *Sellaphora pupula* species complex (Bacillariophyta). *Journal of Phycology* 44 (1) : 215-231.

F

Fabri & Leclercq 1984. Etude écologique des rivières du nord du massif Ardennais (Belgique) : flore et végétation de diatomées et physico-chimie des eaux. 1. Contexte mésologique, méthodes, analyses physico-chimiques, synthèse taxonomique, écologique et floristique, iconographie, bibliographie. *Univ. Liège, Station Scientifique des Hautes-Fagnes, Robertville, Belgique*. 379 pp.

Fránková, Poulícková, Neustupa, Pichrtová & Marvan 2009. Geometric morphometrics - a sensitive method to distinguish diatom morphospecies : a case study on the sympatric populations of *Reimeria sinuata* and *Gomphonema tergestinum* (Bacillariophyceae) from the River Becva, Czech Republic. *Nova Hedwigia* 88 (1-2) : 81-95.

Frenguelli 1942. Diatomeas del Neuquén (Patagonia). *Revista del Museo de la Plata, Nueva Serie, Sección Botánica* 5 (20) : 73-219, 12 pls.

Fuelling 2011. In *Diatoms of the United States*.

Fukushima, Ko-Bayashi, Ohtsuka & Yoshitake 1994. Morphological variability of *Navicula recens* (Lange-Bertalot) Lange-Bertalot. In Kociolek (Eds.), *Proceedings of the 11th International Diatom Symposium*, San Francisco, 12-17 August 1990. *Memoirs of the California Academy of Sciences* 17 : 143-154.

Furey, Lowe, & Johansen 2011. *Eunotia Ehrenberg* (Bacillariophyta) of the Great Smoky Mountains National Park, USA. *Bibliotheca diatomologica* 56. 134 pp.

G

Garcia & Fonseca de Cousa 2006. Lemnicola hungarica (Grunow) Round & Basson from Southern Brazil: ultrastructure, plastid morphology, and ecology. *Diatom Research* 21 : 465-471.

Garcia 2003. Observations on the diatom genus Fallacia (Bacillariophyta) from southern Brazilian sandy beaches. *Nova hedwigia* 77 (3) : 309-330.

Gasse 1980. Les diatomées lacustres plio-pleistocenes du Gadeb (Ethiopie). Systématique, Paléoécologie, Biostratigraphie. *Revue Algologique, Mémoires hors-série n°3*. 249 pp.

Gasse 1986. East African diatoms : Taxonomy, ecological distribution. *Bibliotheca Diatomologica* 11. 201 pp.

Geitler 1927. Somatische Teilung, Reduktionsteilung, Copulation und Parthenogenese bei Cocconeis placentula. *Archiv für Protistenkunde* 59 : 506-549.

Geitler 1958. Fortpflanzungsbiologische Eigentümlichkeiten von Cocconeis und Vorarbeiten zu einer systematischen Gliederung von Cocconeis placentula nebst Beobachtungen an Bastarden. *Österreichische Botanische Zeitschrift* 105 (4) :350-379.

Geitler 1980. Zellteilung und Bildung von Innenschalen bei Hantzschia amphioxys und Achnanthes coarctata. *Plant Systematics and Evolution* 136 : 275-286.

Genkal & Håkansson 1990. The problem of distinguishing the newly described diatom genus Pseudostephanodiscus. *Diatom Research* 5 (1) : 15-23.

Genkal & Kiss 1993. Morphological variability of the diatom Cyclotella atomus Hustedt var. atomus and C. atomus var. gracilis var. nov. In Van Dam (Eds.), *Proceedings of the Twelfth International Diatom Symposium, Renesse, The Netherlands, 30 August-5 September 1992*. *Hydrobiologia* 269/270 : 39-47.

Genkal & Kuzmin 1978. Novýe taksoný roda Stephanodiscus Ehrenberg (Bacillariophyta); [New taxa of the genus Stephanodiscus Ehr. (Bacillariophyta)]. *Botanicheskij Zhurnal* 3 (9) : 1309-1312.

Genkal & Popovskaya 2008. Morphological variability of Cyclotella ocellata from Lake Khubsugul (Mongolia). *Diatom Research* 23 : 75-91.

Germain 1981. Flore des diatomées – Diatomophycées - eaux douces et saumâtres du Massif Armoricain et des contrées voisines d'Europe occidentale. *Collection "Faunes et Flores Actuelles"*, Société Nouvelle des Editions Boubée, Paris. 444 pp.

Germain 1982. Navicula joubaudii nov. nom. (Bacillariophyceae). *Cryptogamie Algologie* 3 : 33-36.

Gmelin 1791. Carolia Linne. Systema Naturae per regna tria naturae secundum classes, ordines, genera species cum characteribus, differentiis, synonymis, locis. Ed. 13. Tomus I. Lipsiae. 4120 pp.

Gómez, Riera & Sabater 1995. Ecology and morphological variability of Aulacoseira granulata (Bacillariophyceae) in Spanish reservoirs . *Journal of Plankton Research* 17 : 1-16.

Graeff 2012. In *Diatoms of the United States*.

Graeff & Kociolek 2011. Investigations of the *Frustulia weinholdii* species complex with descriptions of three new species, *F. capitata*, *F. latita*, and *F. soror* from South Carolina and Hawaii. *Proceedings of the Academy of Natural Sciences of Philadelphia* 161 : 43-59.

Granetti 1984. Le diatomee del Lago Trasimeno: Sistematica ed ecologia. *Rivista Idrobiologia* 23 (1) : 1-112.

Gregory 1856. Notice of some new species of British Fresh-water Diatomaceae. *Quarterly Journal of Microscopical Science*, new series, London 4 : 1-14.

Gregory 1857. On the post-Tertiary Diatomaceous sand of Glenshira. Part II. Containing an account of a number of additional undescribed species. *Transactions of the Microscopical Society of London* 5 : 67-88.

Grubaugh & Potapova 2012. In *Diatoms of the United States*.

Grunow 1860. Über neue oder ungenügend gekannte Algen. Erste Folge, Diatomeen, Familie Naviculaceen. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien* 10 : 503-582.

Grunow 1862. Die österreichischen Diatomaceen nebst Anschluss einiger neuen Arten von andern Lokalitäten und einer kritischen übersicht der bisher bekannten Gattungen und Arten. Erste Folge. Epithemieae, Meridioneae, Diatomeae, Entopyleae, Surirelleae, Amphipleureae. Zweite Folge. Familie Nitzschieae. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien* 12 : 315-472, 545-588, 7 pls.

Grunow 1880. Bemerkungen zu den Diatomeen von Finnmark, dem Karischen Meere und vom Jenissey nebst Vorarbeiten für Monographie der Gattungen Nitzschia, Achnanthes, Pleurosigma, Amphiprora, Plagiotropis, Hyalodiscus, Podosira und einiger Navicula-Gruppen. *Kongliga Svenska Vetenskaps-Akademiens Handlingar*. Ser. 4, 17 (2) : 16-121.

Grunow 1882. Beiträge zur Kenntnis der fossilen Diatomeen Österreich-Ungarns. In *Beiträge zur Paläontologie Österreich-Ungarns und des Orients*, E. von Mojsisovics und N. Neumayr (Eds), Wien. Vol. 2 (4) : 136-159.

Grunow 1884. Die Diatomeen von Franz Josefs-Land. *Denkschriften der Kaiserlichen Akademie der Wissenschaften*. Mathematisch-Naturwissenschaftliche Classe, Wien. Vol. 48 : 53-112, 5 pls.

Guerrero & Echenique 2006. *Discostella taxa* (Bacillariophyta) from the Río Limay basin (northwestern Patagonia, Argentina). *European Journal of Phycology* 41 : 83-96.

H

Håkansson 1979. Examination of type material of C.A. Agardh. In Simonsen (Eds.), *Proceedings of the Fifth Symposium on Recent and Fossil Diatoms*, Antwerp, 3-8 September 1978. *Beihefte zur Nova Hedwigia* 64 : 163-168.

- Håkansson 1986.** An investigation of the morphology of *Stephanodiscus transilvanicus* Pantocsek. *Diatom Research* 1 (1) : 27-31.
- Håkansson 1989.** A light and electronmicroscopical investigation of the type species of *Cyclotella* (Bacillariophyceae) and related forms, using original material. *Diatom Research* 4 : 255-267.
- Håkansson 1990a.** A comparison of *Cyclotella krammeri* sp. nov. and *C. schumannii* Håkansson sp. nov. with similar species. *Diatom Research* 5 : 261-271.
- Håkansson 1990b.** *Cyclotella meneghiniana* Kiitz. (Bacillariophyceae) its morphology and reappraisal of similar species. *Nova Hedwigia Beiheft* 100, 19-37.
- Håkansson 1993.** Morphological and taxonomic problems in four *Cyclotella* species (Bacillariophyceae). *Diatom Research* 8 (2) : 309-316.
- Håkansson 2002.** A compilation and evaluation of species in the genera *Stephanodiscus*, *Cyclostephanos* and *Cyclotella* with a new genus in the family Stephanodiscaceae. *Diatom Research* 17 : 1-139.
- Håkansson & Carter 1990.** An interpretation of Hustedt's terms "Schattenlinie", "Perlenreihe" and "Hocker" using specimens of the *Cyclotella radiosa*-complex, *C. distinguenda* Hust., and *C. cyclopuncta* nov. sp. *Journal of the Iowa Academy of Science* 97 (4) : 153-156.
- Håkansson & Clarke 1997.** Morphology and taxonomy of the centric diatom *Cyclotella atomus*. *Nova Hedwigia* 65 (1-4) : 207-219.
- Håkansson & Kling 1990.** The current status of some very small freshwater diatoms of the genera *Stephanodiscus* and *Cyclostephanos*. *Diatom Research* 5 (2) : 273-287.
- Håkansson & Kling 1994.** *Cyclotella agassizensis* nov. sp. and its relationship to *C. quillensis* Bailey and other prairie *Cyclotella* species. *Diatom Research* 9 : 289-301.
- Håkansson & Locker 1981.** *Stephanodiscus* Ehrenberg 1846, a revision of the species described by Ehrenberg. *Nova Hedwigia* 35 : 117-149.
- Håkansson & Stoermer 1984.** An investigation of the morphology of *Stephanodiscus alpinus* Hust. *Bacillaria* 7: 159-172.
- Hamilton & Potapova 2010.** In *Diatoms of the United States*.
- Hamilton & Siver 2008.** The type of *Fragilaria lancettula* Schumann 1867 and transfer to the genus *Punctastriata* as *P. lancettula* (Schumann) Hamilton & Siver comb. nov. *Diatom Research* 23 (2): 355-365.
- Hamilton, Poulin, Charles & Angell 1992.** Americanarum diatomarum exsiccata: cana, voucher slides from eight acidic lakes in northeastern north America. *Diatom Research* 7 (1) : 25-36.
- Hamilton, Poulin, Prévost, Angell & Edlund 1994.** Americanarum Diatomarum Exsiccata: Fascicle II (CANa), Voucher Slides Representing 34 Lakes, Ponds and Streams from Ellesmere Island, Canadian High Arctic, North America. *Diatom Research* 9 : 303-327.

- Hantzsch 1860.** Neue Bacillarien: Nitzschia vivax var. elongata, Cymatopleura nobilis. *Hedwigia* 2 (7) : 1-40, 6 pls.
- Harrison 1860.** On a new Pleurosigma. *Quarterly Journal of Microscopical Science*, new series 8 : 104-105.
- Hasle & Evensen 1976.** Brackish water and freshwater species of the diatom genus Skeletonema. II. Skeletonema potamos comb. nov. *Journal of Phycology* 12 (1) : 73-82.
- Hasle & Fryxell 1977.** The genus Thalassiosira: some species with a linear areola array. In Simonsen (Eds.), *Proceedings of the Fourth Symposium on Recent and Fossil Marine Diatoms*, Oslo, 30 August-3 September 1976. *Beihefte zur Nova Hedwigia* 54 : 15-66.
- Hasle & Heimdal 1970.** Some species of the centric diatom genus Thalassiosira studied in the light and electron microscopes. In Gerloff & Cholnoky. Diatomaceae II. *Beihefte zur Nova Hedwigia* 31 : 559-589.
- Hasle & Lange 1989.** Freshwater and brackish water Thalassiosira (Bacillariophyceae) taxa with tangentially undulated valves. *Phycologia* 28 (1) : 120-135.
- Hassall 1850.** The Diatomaceae in the water supplied to the inhabitants of London and the suburban districts. A microscopic Examination of the water. London. 60 pp., 6 pls.
- Haworth & Hurley 1984.** Comparison of the Steligeroid Taxa of the Centric Diatom Genus Cyclotella. In Ricard (Eds.), *Proceedings of the Eighth International Diatom Symposium*, Paris, 27 August-1 September 1984. Koeltz Scientific Books, Koenigstein. 43-58.
- Hein, Winsborough & Sullivan 2008.** Bacillariophyta (Diatoms) of the Bahamas. In Lange-Bertalot (Eds.), *Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 19. A.R.G. Gantner Verlag K.G. 303 pp.
- Helmcke & Krieger 1953.** Diatomeenschalen im elektronenmikroskopischen Bild. *Bild u. Forsch. Abt. Biol. Berlin-Wilmersdorf* Vol. 2. 24 pp.
- Hendey 1964.** An introductory account of the smaller algae of British coastal waters. *Her Majesty's Stationery Office*, London.
- Héribaud 1902.** Les Diatomées Fossiles d'Auvergne. *Librairie des Sciences Naturelles*, Paris. 5-79, 7-8 pls.
- Hickel & Håkansson 1987.** Dimorphism in Cyclostephanos dubius (Bacillariophyta) and the morphology of initial valves. *Diatom Research* 2 (1) : 35-46.
- Hlúbikova, Blanco, Falasco, Gomà, Hoffmann & Ector 2009.** Nitzschia alicae sp. nov. and N. puriformis sp. nov., new diatoms from European rivers and comparison with the type material of N. sublinearis and N. pura. *Journal of Phycology* 45 : 742-760.
- Hlúbiková, Ector & Hoffmann 2011.** Examination of the type material of some diatom species related to Achnanthisidium minutissimum (Kütz.) Czarn. (Bacillariophyceae) . *Algological Studies* 136-137 : 19-43.

- Hofmann 1994.** Aufwuchs-Diatomeen in Seen und ihre Eignung als Indikatoren des Trophie. *Bibliotheca Diatomologica* 30 : 241 pp.
- Hofmann, Werum & Lange-Bertalot 2011.** Diatomeen im Süßwasser-Benthos von Mitteleuropa. *Koeltz Scientific Books*, Königstein, Germany. 908 pp.
- Hohn 1961.** The relationship between species diversity and population density in diatom populations from Silver Springs, Florida. *Journal American Microscopical Society* 80 : 140-165.
- Hohn & Hellerman 1963.** The taxonomy and structure of diatom populations from three eastern North American rivers using three sampling methods. *Transactions of the American Microscopical Society* 82 (3) : 250-329.
- Hoppenrath, Elbrächter & Drebes 2009.** Marine phytoplankton. Selected microphytoplankton species from the North Sea around Helgoland and Sylt. *Kleine Senckenberg-Reihe* 49. 264 pp.
- Hornemann 1806-1810.** Icones plantarum sponte nascentium in Regnis Daniae Norvegiae, et in Ducatibus Slesvici et Holsatiae ad illustrandum opus de iisdem plantis, Regio jussu exarandum, Florae Danicae nomine inscriptum. *Hauoniae, Typis E.A.H. Mölleri. 1810.* Vol. 8, Issue : fasc. 22, 23, 24, 1261-1440 pls.
- Houk & Klee 2004.** The stelligeroid taxa of the genus *Cyclotella* (Kützing) Brébisson (Bacillariophyceae) and their transfer into the new genus *Discostella* gen. nov. *Diatom Research* 19 (2) : 203-228.
- Houk & Klee 2010.** Atlas of freshwater centric diatoms with a brief key and descriptions Part II. Melosiraceae and Aulacoseiraceae (Supplement to Part I). *Fottea* 7 (2) : (2) : 85-253.
- Houk 2003.** Atlas of freshwater centric diatoms with a brief key and descriptions. Part. I. Melosiraceae, Orthoseiraceae, Paraliaceae and Aulacoseiraceae. *Czech Phycology Supplement* 1 : 1-125.
- Houk, Klee & Tanaka 2010.** Atlas of freshwater centric diatoms with a brief key and description. Part III. Stephanodiscaceae A, *Cyclotella*; *Tertiarius*, *Discostella*. *Fottea Supplement* 10. 498 pp.
- Hürlimann & Straub 1991.** Morphologische und ökologische Charakterisierung von Sippen unter *Fragilaria capucina* Komplex sensu Lange-Bertalot 1980. *Diatom Research* 6 (1) : 21-47.
- Hustedt 1911.** Beiträge zur Algenflora von Bremen IV. Bacillariaceen aus der Wumme. *Abhandlungen des Naturwissenschaftlichen Verein zu Bremen* 20 (2) : 257-315.
- Hustedt 1922.** Die Bacillariaceen-Vegetation des Lunzer Seengebietes (Nieder-Österreich). *Internationale Revue der gesamten Hydrobiologie und Hydrographie* 10 (1-2) : 40-74, 233-270.
- Hustedt 1926.** *Thalassiosira fluviatilis* nov. spec., eine Wasserblüte im Wesergebiet. *Bericht der Deutschen Botanischen Gessellschaft* 43 (10) : 565-567.
- Hustedt 1930.** Bacillariophyta (Diatomeae). In Pascher (Eds.), *Die Süßwasser-Flora Mitteleuropas*. Gustav Fischer, Jena. Zweite Auflage. Heft 10 : 466 pp., 875 pls.

Hustedt 1933. Die Kieselalgen Deutschlands, Österreichs und der Schweiz unter Berücksichtigung der übrigen Länder Europas sowie der angrenzenden Meeresgebiete. In Rabenhorst (Eds.), Kryptogamen Flora von Deutschland, Österreich und der Schweiz, *Akademische Verlagsgesellschaft m.b.h.*, Leipzig. Vol. 7, Issue : Teil 2, Lief. 3 : 321-432, figs. 781-880.

Hustedt 1934. Die Diatomeenflora von Poggenpohls Moor bei Dötlingen in Oldenburg. *Abhandlungen und Vorträgen der Bremer Wissenschaftlichen Gessellschaft* 8/9 : 362-403.

Hustedt 1937. Systematische und ökologische Untersuchungen über die Diatomeen-Flora von Java, Bali und Sumatra nach dem Material der Deutschen Limnologischen Sunda-Expedition. "Tropische Binnengewässer, Band VII". *Archiv für Hydrobiologie* Supplement 15 : 131-177, 9-12 pls.

Hustedt 1939. Diatomeen aus der Pyrenaen. *Berichte der Deutschen Botanischen Gesellschaft* 56 : 543-572.

Hustedt 1939b. Die Diatomeenflora des Küstengebietes der Nordsee vom Dollart bis zur Elbemündung. I. Die Diatomeenflora in den Sedimenten der unteren Ems sowie auf den Watten in der Leybucht, des Memmert und bei der Insel Juist. *Adhandlungen des Naturwissenschaftlichen Verein zu Bremen* 31 (2/3) : 571-677.

Hustedt 1942. Süswasser-Diatomeen des indomalayischen Archipels und der Hawaii-Inslen. *Internationale Revue der gesamten Hydrobiologie und Hydrographie* 42 (1/3) : 1-252.

Hustedt 1945. Diatomeen aus Seen und Quellgebieten der Balkan-Halbinsel. *Archiv für Hydrobiologie* 40 (4) :867-973, 12 pls.

Hustedt 1949. Süswasser-Diatomeen aus dem Albert-Nationalpark in Belgisch-Kongo. Exploration du Parc National Albert, Mission H. Damas (1935-1936), *Institut des Parcs Nationaux du Congo Belge*, Bruxelles. Vol. 8 : 199 pp., 16 pls.

Hustedt 1950. Die Diatomeenflora norddeutscher Seen mit besonderer Berücksichtigung des holsteinischen Seengebiets V-VII. Seen in Mecklenburg, Lauenburg und Nordostdeutschland . *Archiv für Hydrobiologie* 43 : 329-458.

Hustedt 1953. Diatomeen aus der Oase Gafsa in Südtunesien, ein Beitrag zur Kenntnis der Vegetation afrikanischer Oasen. *Archiv für Hydrobiologie* 48 (2) : 145-153.

Hustedt 1954. Die Diatomeenflora der Eifelmaare. *Archiv für Hydrobiologie* 48 : 451-496.

Hustedt 1956. Diatomeen aus dem Lago de Maracaibo in Venezuela. In Ergebnisse der deutschen limnologischen Venezuela-Expedition 1952 (F. Gessner & V. Vareschi). *Deutscher Verlag der Wissenschaften*, Berlin. Vol. 1 : 93-140.

Hustedt 1957. Die Diatomeenflora des Flußsystems der Weser im Gebiet der Hansestadt Bremen. *Abhandlungen des Naturwissenschaftlichen Verein zu Bremen* 34 (3) : 181-44.

Hustedt 1959. Die Diatomeenflora des Neusiedler Sees im österreichischen Burgenland. *Österreichische Botanische Zeitschrift* 106 (5) : 390-430.

Hustedt 1959b. Die Kieselalgen Deutschlands, Österreichs und der Schweiz unter Berücksichtigung der übrigen Länder Europas sowie der angrenzenden Meeresgebiete. In Rabenhorst (Eds.), Kryptogamen Flora von Deutschland, Österreich und der Schweiz. *Akademische Verlagsgesellschaft m.b.h.*, Leipzig. Vol. 7, Issue : Teil 2, Lief. 6 : 737-845, figs. 1106-1179.

Hustedt 1964. Die Kieselalgen Deutschlands, Österreichs und der Schweiz unter Berücksichtigung der übrigen Länder Europas sowie der angrenzenden Meeresgebiete. In Rabenhorst (Eds.), Kryptogamen Flora von Deutschland, Österreich und der Schweiz, *Akademische Verlagsgesellschaft m.b.h.*, Leipzig. Vol. 7 Issue : Teil 3, Lief. 4 : 557-816, figs. 1592-1788.

I

Ivanov & Ector 2006. *Achnantheidium temniskovae sp. nov., a new diatom from the Mesta River, Bulgaria.* In Ognjanova-Rumenova and Manoylov (Eds.), *Advances in Phycological Studies*, Pensoft Publishers, St. Kliment Ohridski University Press, Sofia-Moscow. 147-154.

J

Jahn & Kusber 2004. Algae of the Ehrenberg collection - 1. Typification of 32 names of diatom taxa described by C. G. Ehrenberg. *Wildenowia* 34 : 577-595.

Jahn & Schmid 2007. Revision of the brackish-freshwater diatom genus *Bacillaria* Gmelin (Bacillariophyta) with the description of a new variety and two new species. *European Journal of Phycology* 42 (3): 295-312.

Jahn, Kusber & Romero 2009. *Cocconeis pediculus* Ehrenberg and *C. placentula* Ehrenberg var. *placentula* (Bacillariophyta) : Typification and taxonomy. *Fottea* 9 (2) : 275-288.

Jahn, Kociolek, Witkowski & Compere 2001. Lange-Bertalot-Festschrift - Studies on Diatoms. In Jahn, Kociolek, Witkowski & Compere (Eds.), Gantner, Ruggell. 633 pp.

John & Economou-Amilli 1991. Morphology and ultrastructure of the centric diatom *Cyclotella distinguenda*. *Diatom Research* 6 (2) : 307-315.

Jüttner, Chimonides & Cox 2011. Morphology, ecology and biogeography of diatom species related to *Achnantheidium pyrenaicum* (Hustedt) Kobayasi (Bacillariophyceae) in streams of the Indian and Nepalese Himalaya. *Algological Studies* 136/137 : 45-76.

K

Kalbe 1973. Über die Variabilität von *Stephanodiscus hantzschii* Grun. *Hydrobiologia* 42 : 21-29.

Kilham & Kilham 1975. *Melosira granulata* (Ehr.) Ralfs : morphology and ecology of a cosmopolitan freshwater diatom. *Verhandlungen des Internationalen Verein Limnologie* 19 : 2716-2721.

Kingston 2000. New combinations in the freshwater Fragilariaceae and Achnanthidiaceae. *Diatom Research* 15 (2) : 409-411.

- Kiss, Rojo & Cobelas 1996.** Morphological variability of a *Cyclotella ocellata* (Bacillariophyceae) population in the Lake Las Madres (Spain). *Archiv fur Hydrobiologie, Algologie Studies* 82 : 37-55.
- Kiss, Iserentant, Ács & Ector 2002.** *Thalassiosira gessneri* Hustedt and *T. lacustris* (Grunow) Hasle in the rivers Moselle (Luxembourg), Rhône, Saône (France), Danube (Hungary) and the channel Main-Danube (Germany). *Archiv fur Hydrobiologie, Algologie Studies* 107 : 17-37.
- Kiss, Klee, Ector & Ács 2012.** Centric diatoms of large rivers and tributaries in Hungary: morphology and biogeographic distribution. *Acta Botanica Croatica* 71 : 311-363.
- Kiss, Ács, Szabo, Miracle & Vicente 2007.** Morphological observations on *Cyclotella distinguenda* Hustedt and *C. delicatula* Hustedt from the core sample of a meromictic karstic lake of Spain (Lake La Cruz) with aspects on their ecology. *Diatom Research* 22 (2) : 287-308.
- Kitton 1869.** Notes on New York Diatoms with description of a new species *Fragilaria crotonensis*. *Hardwicke's Science-Gossip* 5 : 109-110.
- Kling 1992.** Valve development in *Stephanodiscus hantzschii* Grunow and its implications for species identification. *Diatom Research* 7 (2) : 241-257.
- Kling & Håkansson 1988.** A light and electron microscope study of *Cyclotella* species (Bacillariophyceae) from central and northern Canadian lakes. *Diatom Research* 3 : 55-82.
- Kobayasi 1985.** Ultrastructural differences in certain taxonomically difficult species of *Nitzschia* section *Lanceolatae* in Japan. In Hara, Origin and evolution of diversity in plants and plant community, *Academia Scientific Book Inc.*, Tokyo. 304-313.
- Kobayasi 1997.** Comparative studies among four linear-lanceolate *Achnanthisdium* species (Bacillariophyceae) with curved terminal raphe endings. *Nova Hedwigia* 65 : 147-163.
- Kobayasi, & Inoue 1985.** Fine structure and taxonomy of the small and tiny *Stephanodiscus* (Bacillariophyceae) species in Japan. 1. *Stephanodiscus invisitatus* Hohn & Hellermann. *Japanese Journal of Phycology* 33 : 149-154.
- Kobayasi & Kobori 1990.** *Nitzschia linearis* and two related species. In Simola (Eds.), *Proceedings of the tenth International Diatom Symposium*, Joensuu, Finland, 28 August-2 September 1988. Koeltz Scientific Books, Koenigstein 10 : 183-193.
- Kobayasi & Sawatari 1986.** Some Small and Elliptic *Achnanthes*. In Ricard (Eds.), *Proceedings of the 8th International Diatom Symposium*, Paris, 27 August-1 September 1984. Koeltz Scientific Books, Koenigstein. 259-269.
- Kobayasi, Kobori & Sunaga 1994.** Taxonomy and morphology of two forms of the *Nitzschia sinuata* complex. In Kociolek (Eds.), *Proceedings of the 11th International Diatom Symposium*, San Francisco 12-17 August 1990. *Memoirs of the Californian Academy of Sciences* 17 : 281-289.
- Kobayasi, Nagumo & Mayama 1986.** Observations on the two rheophilic species of the genus *Achnanthes*, *A. convergens* H. Kobayasi and *A. japonica* H. Kobayasi. *Diatom. The Japanese Journal of Diatomology* 2 : 83-93.

- Kobayasi, Idei, Mayama, Nagumo & Osada 2006.** H. Kobayasi's Atlas of Japanese Diatoms based on electron microscopy Vol. 1. Uchida Rokakuko Publishing Co., Tokyo. 531 pp.
- Kociolek & Kingston 1999.** Taxonomy, ultrastructure, and distribution of some gomphonemoid diatoms (Bacillariophyceae: Gomphonemataceae) from rivers in the United States. *Canadian Journal of Botany* 77 : 686-705.
- Kociolek & Stoermer 1987.** Ultrastructure of *Cymbella sinuata* and its allies (Bacillariophyceae), and their transfer to *Reimeria*, gen. nov. *Systematic Botany* 12 (4) : 451-459.
- Kociolek & Stoermer 1991.** Taxonomy and ultrastructure of some Gomphonema and Gomphoneis taxa from the upper Laurentian Great lakes. *Canadian Journal of Botany* 69 : 1557-1576.
- Kociolek 2011.** In *Diatoms of the United States*.
- Krammer 1980.** Morphologic and taxonomic investigations of some freshwater species of the diatom genus *Amphora* Ehrenberg. *Bacillaria* 3 : 197-225.
- Krammer 1991.** Morphology and taxonomy in some taxa of the genus *Aulacoseira* Thwaites (Bacillariophyceae). II. Taxa in the *A. granulata*-*italica*- and *lirata*-groups. *Nova Hedwigia* 53 : 477-496.
- Krammer 1997a.** Die cymbelloiden Diatomeen. Eine Monographie der weltweit bekannten Taxa. Teil 1. Allgemeinen und *Encyonema*. *Bibliotheca Diatomologica* 36. 382 pp.
- Krammer 1997b.** Die cymbelloiden Diatomeen. Eine Monographie der weltweit bekannten Taxa. Teil 2. *Encyonema* part, *Encyonopsis* und *Cymbelloopsis*. *Bibliotheca Diatomologica* 37. 463 pp.
- Krammer 2002.** *Cymbella*. In Lange-Bertalot (Eds.), *Diatoms of Europe Vol. 3, Diatoms of the European Inland Waters and Comparable Habitats*. A.R.G. Gantner Verlag K.G. 584 pp.
- Krammer 2003.** *Cymbopleura*, *Delicata*, *Navicymbula*, *Gomphocymbelloopsis*, *Afrocymbella*., In Lange-Bertalot (Eds.), *Diatoms of Europe Vol. 4, Diatoms of the European Inland Waters and Comparable Habitats*. A.R.G. Gantner Verlag K.G. 529 pp.
- Krammer & Lange-Bertalot 1985.** Naviculaceae. Neue und wenig bekannte Taxa, neue Kombinationen und Synonyme sowie Bemerkungen zu einigen Gattungen. *Bibliotheca Diatomologica* 9 : 1-230.
- Krammer & Lange-Bertalot 1986.** Bacillariophyceae. 1 Teil. Naviculaceae. In Ettl, Gerloff, Heynig and Mollenhauer (Eds.), *Süßwasserflora von Mitteleuropa 2/1*. Gustav Fisher Verlag, Jena. 876 pp.
- Krammer & Lange-Bertalot 1987.** Morphology and taxonomy of *Surirella ovalis* and related taxa. *Diatom Research* 2 (1) : 77-95.
- Krammer & Lange-Bertalot 1988.** Bacillariophyceae. 2 Teil. Bacillariaceae, Epithemiaceae, Surirellaceae. In Ettl, Gerloff, Heynig and Mollenhauer (Eds.), *Süßwasserflora von Mitteleuropa 2/2*. Gustav Fisher Verlag, Jena. 596 pp.

- Krammer & Lange-Bertalot 1991a.** Bacillariophyceae. 3 Teil. Centrales, Fragilariaceae, Eunotiaceae. In Ettl, Gerloff, Heynig and Mollenhauer (Eds.), *Süßwasserflora von Mitteleuropa 2/3*. Gustav Fisher Verlag, Jena. 576 pp.
- Krammer & Lange-Bertalot 1991b.** Bacillariophyceae. 4 Teil. Achnanthaceae. Kritische Ergänzungen zu Navicula (Lineolatae) und Gomphonema Gesamtliteraturverzeichnis Teil 1-4. In Ettl, Gerloff, Heynig and Mollenhauer (Eds.), *Süßwasserflora von Mitteleuropa 2/4*. Gustav Fisher Verlag, Jena. 437 pp.
- Krammer & Lange-Bertalot 2004.** Bacillariophyceae 4. Teil: Achnanthaceae, Kritische Ergänzungen zu Navicula (Lineolatae), Gomphonema Gesamtliteraturverzeichnis Teil 1-4 [second revised edition]. In Ettl, Gerloff, Heynig and Mollenhauer (Eds.), *Süßwasserflora von Mitteleuropa 2/4*. Spektrum Akademischer Verlag Heidelberg. 468 pp.
- Krasske 1923.** Die Diatomeen des Casseler Beckens und seiner Randgebirge nebst einigen wichtigen Funden aus Niederhessen. *Botanisches Archiv*. 3 (4) : 185-209.
- Krasske 1929.** Beiträge zur Kenntnis der Diatomeenflora Sachsens. *Botanisches Archiv*. 27 (3/4) : 348-380.
- Krasske 1932.** Beiträge zur Kenntnis der Diatomeenflora der Alpen. *Hedwigia* 72 (3) : 92-134.
- Krasske 1939.** Zur Kieselalgenflora Südchiles. *Archiv für Hydrobiologie und Planktonkunde* 35 (3) : 349-468.
- Krieger 1929.** Algologisch-monographische Untersuchungen über das Hochmoor am Diebelsee. *Beiträge zur Naturdenkmalpflege* 13 (2) : 233-300.
- Kulikovskiy, Genkal & Mikheyeva 2011.** New data on Bacillariophyta of Belarussia. 2. Fam. Fragilariaceae (Kütz.) De Tony, Diatomaceae Dumort and Tabellariaceae F. Schütt. *Algologija* 21 (3) : 357-373.
- Kulikovskiy, Lange-Bertalot & Witkowski 2010.** Diatom flora of Polistovo-Lowatski sphagnum tract (European Russia). *Eolimna chistiakovae* sp. nov. and further transfers to the genus *Eolimna* Lange-Bertalot & Schiller. *Diatom Research* 25 (1) : 77-85.
- Krizmanić, Ržaničanin, Subakov-Simić & Cvijan 2008.** *Amphipleura pellucida* (Kützing) Kützing - An emended diagnosis concerning valve length. *Diatom Research* 23 (1) : 243-248.
- Kulikovskiy, Lange-Bertalot, Witkowski, Dorofeyuk & Genkal 2010.** Diatom assemblages from Sphagnum bogs of the world. I. Nur bog in northern Mongolia. *Bibliotheca Diatomologica* 55. 326 pp.
- Kuntze 1898.** *Revisio Generum Plantarum*. Part III. Leipzig. 576 pp.
- Kützing 1833.** Synopsis Diatomacearum oder Versuch einer systematischen Zusammenstellung der Diatomeen. *Linnaea* 8 (5) : 529-620, 13-14 pls.
- Kützing 1844.** Die kieselschaligen Bacillarien oder Diatomeen. *Nordhausen*. 152 pp., 30 pls.

Kützing 1846. Kurze Mittheilung über einige kieselschalige Diatomeen. *Botanischen Zeitung* 4 (14) : 247-248.

Kützing 1849. *Species Algarum. Lipsiae. F.A. Brockhaus.* 922 pp.

L

Lamouroux, Bory de Saint-Vincent & Eudes-Deslongchamps 1824. Histoire naturelle des zoophytes ou animaux Rayonnés. *Encyclopédie méthodique*, Tome II, Paris, chez Mme Veuve Agasse. 819 pp.

Lange-Bertalot 1976. Eine Revision zur Taxonomie der Nitzschiae lanceolatae Grunow. Die "klassischen" bis 1930 beschriebenen Süßwasserarten Europas. *Nova Hedwigia* 28 : 253-307.

Lange-Bertalot 1978. Zur Systematik, Taxonomie und Ökologie des abwasserspezifisch wichtigen Formenkreises um "Nitzschia thermalis". *Nova Hedwigia* 30 : 635-652.

Lange-Bertalot 1979a. Simonsenia, a new genus with morphology intermediate between Nitzschia and Surirella. *Bacillaria* 2 : 127-136.

Lange-Bertalot 1979b. Toleranzgrenzen und Populationsdynamik bentischer Diatomeen die unterschiedlich starker Abwasserbelastung. *Archiv für Hydrobiologie Supplement* 56 (2) : 184-219.

Lange-Bertalot 1980a. Zur systematischen Bewertung der bandförmigen Kolonien bei Navicula und Fragilaria. Kriterien für die Vereinigung von Synedra (subgen. Synedra) Ehrenberg mit fragilaria Lyngbye. *Nova Hedwigia* 33 : 723-787.

Lange-Bertalot 1980b. Zur taxonomischen Revision einiger ökologisch wichtiger "Naviculae lineolatae" Cleve. Die Formenkreise um Navicula lanceolata, N. viridula, N. cari. *Cryptogamie Algologie* 1(1): 29-50.

Lange-Bertalot 1980c. New species, combinations and synonyms in the genus Nitzschia. *Bacillaria* 3 : 41-77.

Lange-Bertalot 1993. 85 Neue Taxa und über 100 weitere neu definierte Taxa ergänzend zur Süßwasserflora von Mitteleuropa vol. 2/1-4. *Bibliotheca Diatomologica* 27. 164 pp.

Lange-Bertalot 1995. Gomphosphenia paradoxa nov. spec. et nov. gen. und Vorschlag zur Lösung taxonomischer Probleme infolge eines veränderten Gattungskonzepts von Gomphonema (Bacillariophyceae). *Nova Hedwigia* 60 (1-2) : 241-252.

Lange-Bertalot 1997a. Zur Revision der Gattung Achnanthes sensu lato (Bacillariophyceae): Achnantheiopsis, eine neue Gattung mit dem Typus generis A. lanceolata. *Archiv für Protistenkunde* 148 : 199-208.

Lange-Bertalot 1997b. Frankophila, Mayamaea und Fistulifera drei neue Arten der Klasse Bacillariophyceae. *Archiv für Protistenkunde* 148 : 65-76.

Lange-Bertalot 1999. Neue Kombinationen von Taxa aus Achnanthes Bory (sensu lato). In Lange-Bertalot (Eds.), *Phytogeography-Diversity-Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 6. *Koeltz Scientific Books*, Königstein, Germany. 276-289.

Lange-Bertalot 2001. Navicula sensu stricto, 10 genera separated from Navicula sensu lato, Frustulia. In Lange-Bertalot (Eds.), Diatoms of Europe Vol. 2, Diatoms of the European Inland waters and comparable habitats. A.R.G. Gantner Verlag K.G. 526 pp.

Lange-Bertalot 2004. Diatoms in springs, from Central Europe and elsewhere under the influence of hydrogeology and anthropogenic impacts. In Lange-Bertalot (Eds.), Ecology-Hydrogeology-Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 13. A.R.G. Gantner Verlag K.G. 480 pp.

Lange-Bertalot & Bonik 1976. Massesentwicklung bisher seltener und unbekannter Diatomeen als Indikator starker Abwasserbelastung in Flüssen. *Archiv für Hydrobiologie* Supplement 49 (3) : 303-332.

Lange-Bertalot & Genkal 1999. Diatoms from Siberia I. Islands in the Arctic Ocean (Yugorsky-Shar Strait). In Lange-Bertalot (Eds.), Phytogeography-Diversity-Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 6. Koeltz Scientific Books, Königstein, Germany. 303 pp.

Lange-Bertalot & Krammer 1987. Bacillariaceae, Epithemaceae, Surirellaceae. Neue und wenig bekannte Taxa, neue Kombinationen und Synonyme, sowie Bemerkungen und Ergänzungen zu den Naviculaceae. *Bibliotheca Diatomologica* 15 : 1-289.

Lange-Bertalot & Krammer 1989. Achnanthes, eine Monographie der Gattung mit Definition der Gattung Cocconeis und Nachträgen zu den Naviculaceae. *Bibliotheca Diatomologica* 18 : 1-393.

Lange-Bertalot & Metzeltin 1996. Indicators of Oligotrophy. 800 Taxa representative of three ecologically distinct lake types. Carbonate buffered-oligodystrophic-weakly buffered soft water. In Lange-Bertalot (Eds.), Ecology-Diversity-Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 2. Koeltz Scientific Books, Königstein, Germany. 390 pp.

Lange-Bertalot & Rumrich 1981. The taxonomic identity of some ecologically important small Naviculae. Ross (Eds.), *Proceedings of the Sixth Symposium on Recent and Fossil Diatoms*, Budapest, 1-5 September 1980. Taxonomy-Morphology-Ecology-Biology. Koeltz Publishing, Koenigstein. 135-154.

Lange-Bertalot & Ruppel 1980. Zur revision taxonomisch problematischer, ökologisch jedoch wichtiger Sippen der Gattung Achnanthes Bory. *Archiv für Hydrobiologie* Supplement 60 (1) : 1-31.

Lange-Bertalot & Simonsen 1978. A taxonomic revision of the Nitzschiae lanceolatae Grunow 2. European and related extraeuropean freshwater and brakish water taxa. *Bacillaria* 1 : 11-112.

Lange-Bertalot, Metzeltin & Witkowski 1996. Hippodonta gen. nov. Umschreibung und Begründung einer neuen Gattung der Naviculaceae. In Lange-Bertalot (Eds.), Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 4. Koeltz Scientific Books, Königstein, Germany. 247-275.

- Lange-Bertalot, Bak, Witkowski & Tagliaventi 2011.** Eunotia and some related genera. In Lange-Bertalot (Eds.), *Diatoms of Europe Vol. 6, Diatoms of the European Inland waters and comparable habitats*. A.R.G. Gantner Verlag K.G. 747 pp.
- Lange-Bertalot, Cavacini, Tagliaventi & Alfinito 2003.** Diatom of Sardinia. Rare and 76 new species in rock pools and other ephemeral waters. In Lange-Bertalot (Eds.), *Biogeography-Ecology-Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 12*. A.R.G. Gantner Verlag K.G. 438pp.
- Lange-Bertalot, Kulbs, Lauser, Norpel-Schempp & Willmann 1996.** Dokumentation und Revision der von Georg Krasske beschriebenen Diatomeen-Taxa. In Lange-Bertalot (Eds.), *Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 3*, Koeltz Scientific Books, Königstein, Germany. 358 pp.
- Lavoie, Hamilton, Campeau, Grenier & Dillon 2008.** Guide d'identification des diatomées des rivières de l'Est du Canada. *Presses de l'Université du Québec*. 241 pp.
- Le CoHU 1999.** Révision des principales espèces de Fragilariales (Bacillariophyta) des îles Kerguelen. *Canadian Journal of Botany* 77 : 821-834.
- Le CoHU, Lange-Bertalot & Azemar 2011.** *Cymbopleura pyrenaica* sp. nov. (Bacillariophyceae) et d'autres espèces du même genre rarement recensées dans quelques lacs des Pyrénées françaises. *Cryptogamie Algologie* 32 (4) : 337-349.
- Lee & Round 1987.** Studies on freshwater Amphora species. I. *Amphora ovalis*. *Diatom Research* 2 (2) : 193-203.
- Lee & Round 1988.** Studies on freshwater Amphora species. 11. *Amphora copulata* (Kütz.) Schoeman & Archibald. *Diatom Research* 3 (2) : 217-225.
- Lee & Round 1989.** Studies on freshwater Amphora species. III. *Amphora pediculus* (Kütz.) Grun. and some possibly related forms. *Diatom Research* 4 (1) : 79-87.
- Lemmermann 1900.** Beiträge zur Kenntnis der Planktonalgen. *Berichte der Deutschen Botanischen Gesellschaft* 18 : 24-32.
- Levkov 2009.** *Amphora sensu lato*. In Lange-Bertalot (Eds.), *Diatoms of Europe Vol. 5, Diatoms of the European Inland Waters and Comparable Habitats*. A.R.G. Gantner Verlag K.G. 916 pp.
- Levkov & Ector 2010.** A comparative study of *Reimeria* species (Bacillariophyceae). *Nova Hedwigia* 90 3-4 : 469-489.
- Levkov, Krstic, Metzeltin & Nakov 2007.** Diatoms of Lakes Prespa and Ohrid, about 500 taxa from ancient lake system. In Lange-Bertalot (Eds.), *Biogeography-Ecology-Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 16*. A.R.G. Gantner Verlag K.G. 613 pp.
- Levkov, Krstic, Nakov & Melovski 2005.** Diatom assemblages on Shara and Nidze Mountains, Macedonia. *Nova Hedwigia* 81 (3-4) : 501-538.

Levkov, Mihalic & Ector 2010. A taxonomical study of Rhoicosphenia Grunow (Bacillariophyceae) with a key for identification of selected taxa. *Fottea* 10 (2) : 145-200.

Lobban 1984. Marine tube dwelling diatoms of eastern Canada: descriptions, check-list and illustrated key. *Canadian Journal of Botany* 62 : 778-794.

Lowe & Spaulding 2011. In *Diatoms of the United States*.

Lund 1951. Contributions to our knowledge of British Algae XII. A new planctonic Cyclotella (*C. praetermissa* n. sp.). Notes on *C. glomerata* Bachmann and *C. catenata* Brun and the occurrence of setae in the genus. *Hydrobiologia* 3 : 93-100.

Lyngbye 1819. entamen Hydrophytologiae Danicae Continens omnia Hydrophyta Cryptogama Daniae, Holsatiae, Faeroae, Islandiae, Groenlandiae hucusque cognita, Systematice Disposita, Descripta et iconibus illustrata, Adjectis Simul Speciebus Norvegicis. *Hafniae*. 248 pp., 70 pls.

M

Maillard 1978. Contribution à la connaissance des diatomées d'eau douce de la Nouvelle Calédonie (Océanie). *Cahiers O.R.S.T.O.M., Série Hydrobiologie*, Vol. 12 (2) : 143-172.

Manguin 1941. Contribution à la connaissance de la Flore des diatomées d'eau douce de Madagascar *Revue Algologique* 12 : 153-157.

Manguin 1942. Contribution à la connaissance des diatomées d'eau douce des Açores. *Travaux Algologiques, Série 1, Muséum National d'Histoire Naturelle, Laboratoire de Cryptogamie* 2 : 115-160, 4 pls.

Manguin 1962. Contribution à la connaissance de la flore diatomique de la Nouvelle-Calédonie. *Mémoires du Muséum National d'Histoire Naturelle, Nouvelle Série, Série B, Botanique* Vol. 12 (1), 40 pp., 8 pls.

Mann 1989. The diatom genus *Sellaphora*: Separation from *Navicula*. *British Phycological Journal* 24 : 1-20.

Mann & Stickle 1991. The genus *Craticula*. *Diatom Research* 6 (1) : 79-107.

Mann & Stickle 1995. Sexual reproduction and systematics of *Placoneis* (Bacillariophyta). *Phycologia* 34 (1) : 74-86.

Mann, Thomas & Evans 2008. Revision of the diatom genus *Sellaphora* : a first account of the larger species in the British Isles. *Fottea, Olomouc* 8 (1) : 15-78

Mann, McDonald, Bayer, Droop, Chepurnov, Loke, Ciobanu & du Buf 2004. The *Sellaphora* pupula species complex (Bacillariophyceae) : morphometric analysis, ultrastructure and mating data provide evidence for five new species. *Phycologia* 43 (4) : 459-482.

Manoylov 2010. In *Diatoms of the United States*.

Manoylov & Hamilton 2010. In *Diatoms of the United States*.

- Manoylov & Stevenson 2004.** *Cymbella excisa* Kütz. In different nutrient conditions. In Poulin (Eds.), Proceedings of the 17th International Diatom Symposium, Ottawa, Canada, 25-31 August 2002. *Diatom Research* 19 (1) : 222-233.
- Manoylov, Ognjanova-Rumenova & Stevenson 2009.** Morphotype variations in subfossil diatom species of *Aulacoseira* in 24 Michigan Lakes, USA. *Acta Botanica Croatica* 68 (2) : 401-419.
- Mayer 1917.** Beiträge zur Diatomeenflora Bayerns. Part I, A. Bacillariales aus dem Fichtelgebirge und angrenzenden Gebieten. B. Bacillariales aus dem Bayerischen Walde. *Denkschriften der Königlich-Baierischen Botanischen Gesellschaft in Regensburg* 13 : 1-99, 1-8 pls.
- Mayer 1919.** Bacillariales von Reichenhall und Umgebung. *Kryptogamische Forschungen herausgegeben von der Kryptogamenkommission der Bayerischen Botanischen Gesellschaft zur Erforschung der heimischen Flora* 1 (4) : 191-216.
- Meister 1912.** Die Kieselalgen der Schweiz. *Beiträge zur Kryptogamenflora der Schweiz* 4 (1). 254 pp., 48 pls.
- Meister 1913.** Beiträge zur Bacillariaceenflora Japan. *Archiv für Hydrobiologie und Planktonkunde*, Stuttgart, Vol. 8 : 305-312.
- Mereschkowsky 1902.** On Sellaphora, a new genus of diatoms. *Annals and Magazine of Natural History*, Series 7, Vol. 9 : 185-195.
- Mereschkowsky 1903.** Über *Placoneis*, ein neues Diatomeen-Genus. *Beihefte zum Botanischen Centralblatt* 15 (1) : 1-30.
- Merino, Garcia, Hernandez-Mariné & Fernandez 1994.** Morphology and ultrastructure of *Gomphoneis rhombica* (Fricke) comb. nov. *Diatom Research* 9 (2) : 335-347.
- Metzeltin & Lange-Bertalot 1998.** Tropical Diatoms of South America I. About 700 predominantly rarely known or new taxa representative of the neotropical flora. In Lange-Bertalot (Eds.), Diversity-Taxonomy-Geobotany, *Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 5. *Koeltz Scientific Books*, Königstein, Germany. 695 pp.
- Metzeltin & Lange-Bertalot 2002.** Diatoms from the Island Continent Madagascar. In Lange-Bertalot (Eds.), Taxonomy-Biogeography-Diversity, *Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 11. *A.R.G. Gantner Verlag K.G.* 286 pp.
- Metzeltin & Lange-Bertalot 2007.** Tropical Diatoms of South Africa II. Special remarks on biogeographic disjunction. In Lange-Bertalot (Eds.), Diversity-Taxonomy-Biogeography, *Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 18. *A.R.G. Gantner Verlag K.G.* 877 pp.
- Metzeltin & Witkowski 1996.** Diatomeen der Baren-Insel. Süßwasser und marine Arten. In Lange-Bertalot (Eds.), Taxonomy, *Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 4. *Koeltz Scientific Books*, Königstein, Germany. 286 pp.
- Metzeltin, Lange-Bertalot & García-Rodríguez 2005.** Diatoms of Uruguay compared with other taxa from South America and elsewhere. In Lange-Bertalot (Eds.), Taxonomy-Biogeography-Diversity,

Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 15. A.R.G. Gantner Verlag K.G. 736 pp.

Miho & Lange-Bertalot 2006. Diversity of the genus *Placoneis* in Lake Ohrid and other freshwater habitats of Albania. In Witkowski (Eds.), Proceedings of the Eighteenth International Diatom Symposium, Miedzyzdroje, Poland, 2-7 September 2004. *Biopress Limited*, Bristol, England : 301-313.

Monnier, Lange-Bertalot, Rimet, Hoffman & Ector 2004. *Achnantheidium atomoides* sp. nov., a new diatom from the Grand-duchy of Luxembourg. *Vie et Milieu* 54 : 127-136.

Monnier, Lange-Bertalot, Rimet, Hoffman & Ector 2007. The genera *Achnantheidium* Kützing and *Psammothidium* Bukhtiyarova et Round in the family Achnantheidiaceae (Bacillariophyceae) : a reappraisal of the differential criteria. *Cryptogamie, Algologie* 28 (2) : 41-158.

Morales 2001. Morphological studies in selected fragilarioid diatoms (Bacillariophyceae) from Connecticut waters, U.S.A. *Proceedings of the Academy of Natural Sciences of Philadelphia* 151 : 105-120.

Morales 2002. Studies on fragilarioid diatoms of potential indicator value from Florida (USA) with notes on the genus *Opephora* Petit (Bacillariophyceae). *Limnologica* 32 : 102-113.

Morales 2003. On the taxonomic status of the genera *Belonastrum* and *Synedrella* proposed by Round & Maidana (2001). *Cryptogamie Algologie* 24 (3) : 277-288.

Morales 2006. Small *Planorhynchium* Round et Bukhtiyarova (Bacillariophyceae) taxa related to *P. dau* (Foged) Lange-Bertalot from United States. *Diatom Research* 21 (2) : 325-342.

Morales 2010. In *Diatoms of the United States*.

Morales 2011. In *Diatoms of the United States*.

Morales & Hamilton 2002. Seventh NAWQA taxonomy workshop on harmonization of algal taxonomy, 10-13 May 2002, Report No. 02-21. *Patrick Center for Environmental Research, The Academy of Natural Sciences of Philadelphia*, Philadelphia. 36 pp.

Morales & Manoylov 2006. Morphological studies on selected taxa in the genus *Staurosirella* Williams et Round (Bacillariophyceae) from rivers in North America. *Diatom Research* 21 (2) : 343-364.

Morales & Vis 2007. Epilithic diatoms (Bacillariophyceae) from cloud forest and alpine streams in Bolivia, South America. *Proceedings of the Academy Natural of Sciences of Philadelphia* 126: 123-155.

Moser, Lange-Bertalot & Metzeltin 1998. Insel der Endemiten Geobotanisches Phänomen Neukaledonien (Island of endemics New Caledonia - a geobotanical phenomenon). *Bibliotheca Diatomologica* 38. 464 pp.

Morales, Manyolov & Bahls 2010. Three new araphid diatoms (Bacillariophyta) from rivers in North America. *Proceedings of the Academy of Natural Sciences of Philadelphia* 160 (1) : 29-46.

Morales, Siver & Trainor 2001. Identification of diatoms during ecological assessments : Comparison between light and scanning electron microscopy . *Proceedings of the Academy of Natural Sciences of Philadelphia* 151 : 29-37.

Morales, Guerrero, Wetzel, Sala & Ector 2013. Unraveling the identity of *Fragilaria pinnata* Ehrenberg and *Staurosira pinnata* Ehrenberg : research in progress on a convoluted story. *Cryptogamie Algologie* 34 : 89-102.

Morales, Ector, Fernández, Novais, Hlúbiková, Hamilton, Blanco, Vis & Kociolek 2011. The genus *Achnanthis* Kütz. (Achnanthes, Bacillariophyceae) in Bolivian streams : a report of taxa found in recent investigations. *Algological Studies* 136-137 : 89-130.

Moser, Steindorf & Lange-Bertalot 1995. Neukaledonien-Diatomeenflora einer Tropeninsel. *Bibliotheca diatomologica* 32. 340 pp.

Moss & Carter 1982. The resurrection of *Achnanthes rostrata* Ostrup. *Bacillaria* 5 : 147-164.

Müller 1786. Diatomaceen (*Vibrio paxillifer*, *V. bipunctatus*, *V. tripunctatus*, *Gonium pulvinatum*). *Animalcula infusoria fluviatilia et marina quae detexit, systematice, descriptis et ad vivum delineare curavit O.F. Muller. Havniae.* 367 pp., 50 pls.

Müller 1900. Bacillariaceen aus den Natronthälern von El Kab (Ober-Aegypten). *Hedwigia* 38 (5-6) : 274-288, 289-321.

N

Nagumo 2003. Taxonomic studies of the subgenus *Amphora* Cleve of the genus *Amphora* (Bacillariophyceae) in Japan. *Bibliotheca Diatomologica* 49. 256 pp.

Nagumo & Kobayasi 1985. Fine structure of three Freshwater and Brackish Water Species of the Genus *Cyclotella* (Bacillariophyceae) *C. atomus*, *C. caspia* and *C. meduanae*. *Bull. Plankton Soc. Jap.* 32 (2): 101-109

Navarro & Lobban 2009. Freshwater and marine diatoms from the western pacific islands of Yap and Guam, with notes on some diatoms in damselfish territories. *Diatom Research* 24 (1) : 123-157.

Nitzsch 1817. Beitrag zur Infusorienkunde oder Naturbeschreibung der Zerkarien und Bazillarien. *Neue Schriften der Naturforschenden Gesellschaft zu Halle* 3 (1) : 1-128, 6 pls.

Novais, Hlúbiková, Morais, Hoffmann & Ector 2011. Morphology and ecology of *Achnanthis caravelense* (Bacillariophyceae), a new species from Portuguese rivers. *Algological Studies* 136/137 : 131-150.

Novais, WETZEL, Van de Vijver, Morais, Hoffmann & Ector 2013. New species and combinations in the genus *Geissleria* (Bacillariophyceae). *Cryptogamie* 34 (2) : 117-148.

Novais, Blanco, Hlúbiková, Falasco, Gomà, Delgado, Ivanov, Ács, Morais, Hoffmann & Ector 2009. Morphological examination and biogeography of the *Gomphonemerosenstockianum* and *G. tergestinum* species complex (Bacillariophyceae). *Fottea* 9 (2) : 257-274.

O

Öberg, Risberg & Stabell 2009. Morphology, valve ultrastructure and stratigraphical variability of *Dicostella* taxa in a tropical crater lake, Northern Tanzania. *Diatom Research* 24 (2) : 341-356.

O'Farrell, Tell & Podlejski 2001. Morphological variability of *Aulacoseira granulata* (Ehr.) Simonsen (Bacillariophyceae) in the Lower Paraná River (Argentina). *Limnology* 2 : 65-71.

Ohtsuka 2002. Checklist and illustration of diatoms in the Hii River. Diatom. *The Japanese Journal of Diatomology* 18 : 23-56.

O'Meara 1875. Report on the Irish Diatomaceae. *Proceedings of the Royal Irish Academy, Series 2, Vol. 2 (Science)* : 235-425, 26-34 pls.

Ortiz-Lerin & Cambra 2007. Distribution and taxonomic notes of *Eunotia* Ehrenberg 1837 (Bacillariophyceae) in rivers and streams of Northern Spain. *Limnetica* 26 (2) : 415-434.

Østrup 1902. Freshwater Diatoms [in Flora of Koh Chang. Part VII. Contributions to the knowledge of the gulf of Siam. John Schmidt (ed.). Preliminary Rept. Bot., Results Dan. Exped. to Siam (1899-1900)]. *Botanisk Tidsskrift* 25 (1) : 28-41.

Østrup 1910. Danske Diatoméer. C.A. Reitzels Boghandel, Kjøbenhavn. 323 pp., 5 pls.

P

Pantocsek 1901. Kieselalgen oder Bacillarien des Balaton. Resultate der Wissenschaftlichen Erforschung des Balatonsees, herausgegeben von der Balatonsee-Commission der Ung. Geographischen Gesellschaft. *Commissionsverlag von Ed. Hölzel*, Wien. Vol. 2 (2) : 112 pp., 17 pls.

Patrick 1945. A taxonomic and ecological study of some diatoms from the Pocono Plateau and adjacent regions. *Farlowia* 2 (2) : 143-221, 3 pls.

Patrick & Reimer 1966. The Diatoms of the United States exclusive of Alaska and Hawaii. Volume 1. Fragilariaceae, Eunotoniaceae, Achnantheaceae, Naviculaceae. *Monographs of the Academy of Natural Sciences of Philadelphia* 13. 688 pp., 64 pls.

Patrick & Reimer 1975. The diatoms of the United States exclusive of Alaska and Hawaii. Volume 2. Part 2. Entomoneidaceae, Cymbellaceae, Gomphonemaceae, Epithemiaceae. *Monographs of the Academy of Natural Sciences of Philadelphia* 13. 213 pp., 28 pls.

Peragallo 1903. Le Catalogue Général des Diatomées. Clermont-Ferrand. Vol. 2 : 472-973.

Peragallo & Peragallo 1897-1908. Diatomées marines de France et des districts maritimes voisins. Text. Tempère (Eds.), Micrographe-Editeur, à Grez-sur-Loing (S.-et-M.). 491 pp. + 48 pp.

Petersen 1928. The aërial algae of Iceland. In Rosenving & Warming (Eds.), "The Botany of Iceland", *J. Frimodt*, Kobenhavn. Vol. 2, Part 2, No. 8 : 325-447.

Petersen 1938. *Fragilaria intermedia*-*Synedra vaucheriae*? *Botaniska Notiser* 1938 (1-3) : 164-170.

Ponader & Potapova 2007. Diatoms from the genus *Achnantheidium* in flowing waters of the Appalachian Mountains (North America) : Ecology, distribution and taxonomic notes. *Limnologica* 37 : 227-241.

Potapova 2006. *Achnantheidium zhakovschikovii* sp. Nov. (Bacillariophyta) and related species from rivers of Northwestern Russia. *Nova Hedwigia* 82 (3/4) : 399-408.

Potapova 2009. In *Diatoms of the United States*.

Potapova 2010. In *Diatoms of the United States*.

Potapova 2011. In *Diatoms of the United States*.

Potapova 2012. In *Diatoms of the United States*.

Potapova 2013. In *Diatoms of the United States*.

Potapova & Bahls 2011. In *Diatoms of the United States*.

Potapova & English 2010. In *Diatoms of the United States*.

Potapova & English 2011. In *Diatoms of the United States*.

Potapova & Kociolek 2011. In *Diatoms of the United States*.

Potapova & Hamilton 2007. Morphological and ecological variation within the *Achnantheidium minutissimum* (Bacillariophyceae) species complex. *Journal of Phycology* 43 : 561-575.

Potapova & Ponader 2004. Two common north american diatoms, *Achnantheidium rivulare* sp. nov. and *A. deflexum* (Reimer) Kingston: Morphology, ecology ad comparaison with related species *Diatoms Research* 19 : 33-57.

Poulin, Bérard-Therriault, Cardinal & Hamilton 1990. Les Diatomées (Bacillariophyta) benthiques de substrats durs des eaux marines et saumâtres du Québec. 9. Bacillariaceae. *Le Naturaliste Canadien* 117 (2) : 73-101.

Prasad & Nienow 2011. *Livingstonia* (Thalassiosirales, Bacillariophyta), a new genus of fortuloportulate centric diatoms from an Atlantic coastal plain river in Florida, southeastern United States. *Phycologia* 50 (3) : 264-280.

Pritchard 1861. A history of infusoria, living and fossil: arranged according to Die infusionsthierchen of C.G. Ehrenberg; containing colored engravings, illustrative of all the genera, and descriptions of all the species in that work, with several new ones; to which is appended an account of those recently discovered in the chalk formations. xii. Edition IV, revised and enlarged by J.T. Arlidge, W. Archer, J. Ralfs, W.C. Williamson and the author. *Whittaker and Co.*, London. 968 pp., 40 pls.

Prochazka 1923. Katalog Ceskych Rozsivek. *Archiv pro Prirodovedecky Vzykum Cech. V Komisi Fr. Rivnace. Praha* 17 (2). 114 pp.

R

- Rabenhorst 1853.** Die Süßwasser-Diatomaceen (Bacillarien.) : für Freunde der Mikroskopie. Eduard Kummer, Leipzig. 72 pp., 9 pls.
- Rabenhorst 1860.** Die Algen Sachsens resp. Mittel-Europa's. Decas 95-96. No. 943-953 etc.
- Rabenhorst 1861a.** Die Algen Europa's. Decas 101-102.
- Rabenhorst 1861b.** Die Algen Europa's. Decas 119-120.
- Rabenhorst 1862a.** Die Algen Europa's. Decas 129-130.
- Rabenhorst 1862b.** Die Algen Europa's. Decas 131-132.
- Rabenhorst 1864.** Flora Europaea Algarum aquae dulcis et submarinae. Sectio I. Algas diatomaceas complectens, cum figuris generum omnium xylographice impressis. *Apud Eduardum Kummerum*, Lipsiae. 359 pp.
- Rabenhorst 1848-1860.** Die Algen Sachsens. Resp. Mittel-Europa's Gesammelt und herausgegeben von Dr. L. Rabenhorst, Dec. 1-100. No. 1-1000. Dresden.
- Rabenhorst 1861-1882.** Die Algen Europas, Fortsetzung der Algen Sachsens, resp. Mittel-Europa's. Dec. 1-109, No. 1-1600 (or 1001-2600). Dresden.
- Rakowska 2010.** Fallacia helensis (Schulz) D.G. Mann and associated diatoms in water drained from "Belchatów Brown Coal Mine". *Diatom Research* 25 (2) : 349-354.
- Ralfs 1843.** On the British Diatomaceae. *Annals and Magazine of Natural History* 12 : 346-352, 9 pls.
- Reichardt 1982.** Die Diatomeenflora der "Steinernen Rinnen" in Mittelfranken. *Berichte der Bayerischen Botanischen Gesellschaft (zur Erforschung der heimischen Flora)* 53 : 97-112.
- Reichardt 1984.** Die Diatomeen der Altmühl. (Beiträge zur Diatomeenflora der Altmühl 2.). *Bibliotheca Diatomologica* 6. 169 pp., 34 pls.
- Reichardt 1994.** Zur Diatomeenflora (Bacillariophyceae) tuffabscheidender Quellen und Bäche im Südlichen Frankenjura. *Berichte der Bayerischen Botanischen Gesellschaft (zur Erforschung der heimischen Flora)* 64 : 119-133.
- Reichardt 1995.** Die Diatomeen (Bacillariophyceae) in Ehrenbergs Material von Cayenne, Guyana Gallica (1843). In Lange-Bertalot (Eds.), *Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs*. Vol. 1. *Koeltz Scientific Books*, Königstein, Germany. 92 pp.
- Reichardt 1997.** Taxonomische Revision des Artenkomplexes um *Gomphonema pumilum* (Bacillariophyceae). *Nova Hedwigia* 65 : 99-129.
- Reichardt 1999.** Zur Revision der Gattung *Gomphonema*. Die Arten um *G. affine*, *G. angustatum/micropus*, *G. acuminatum* sowie gomphonemoide Diatomeen aus dem Oberoligozän in Böhmen. In Lange-Bertalot (Eds.), *Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 8. *Koeltz Scientific Books*, Königstein, Germany. 203 pp.

- Reichardt 2001.** Revision der Arten um *Gomphonema truncatum* und *G. capitatum*. In Jahn, Kociolek, Witkowski & Compère (Eds), Lange-Bertalot-Festschrift : Studies on Diatoms. A.R.G. Gantner Verlag. K.G. 187-224.
- Reichardt 2006.** Bemerkenswerte Diatomeenfunde aus Bayern V1 - Neue und seltene Arten aus der Schwarzachklamm. *Berichte der Bayerischen Botanischen Gesellschaft* 76 : 41-51.
- Reichardt 2009.** Silikatauswuchse an den inneren stigmenöffnungen bei Gomphonema-arten. *Diatom Research* 24 (1) : 159-173.
- Reichardt & Lange-Bertalot 1991.** Taxonomische Revision des Artenkomplexes um *Gomphonema angustum*--*G. dichotomum*--*G. intricatum*--*G. vibrio* und ähnliche Taxa (Bacillariophyceae). *Nova Hedwigia* 53 (3-4) : 519-544.
- Ricard 1987.** Atlas du phytoplancton marin. Volume II: Diatomophycées. *Editions du Centre National de la Recherche Scientifique*, Paris. 297 pp.
- Richter 1879.** Neue Bacillariaceen (*Homoeocladia germanica* et *H. conferta*). *Hedwigia* 18 (5) :65-67.
- Rimet, Couté, Piuz, Berthon & Druart 2010.** *Achnanthidium druartii* sp. nov. (Achnanthales, Bacillariophyta), a new species invading European rivers. *Vie et milieu* 60 (3) : 185-195.
- Roberts, Sabater & Beardall 2004.** Benthic microalgal colonization in streams of differing riparian cover and light availability . *Journal of Phycology* 40 : 1004-1012.
- Romero & Jahn 2013.** Typification of *Cocconeis lineata* and *Cocconeis euglypta* (Bacillariophyta). *Diatom Research* 28 (2): 175-184.
- Ross & Håkansson 2000.** Re-examination of the type material of *Frustulia ventricosa* Agardh and *F. operculata* Agardh: *Rhopalodia operculata* (Agardh) Håkansson. *Diatom Research* 15 (2) : 263-284.
- Roth 1806.** *Catalecta Botanica* (Quibus plantae novae et minus cognitae describuntur atque illustrantur). Fasc. 3. Lipseae. 350 pp., 12 pls.
- Round 1982.** Some forms of *Stephanodiscus* species. *Archiv für Protistenkunde* 125 (1-4) :357-371.
- Round & Basson 1997.** A new monoraphid diatom genus (*Pogoneis*) from Bahrain and the transfer of previously described species *A. hungarica* & *A. taeniata* to new genera. *Diatom Research* 12 (2) : 71-81.
- Round & Bukhtiyarova 1996.** Four new genera based on *Achnanthes* (*Achnanthidium*) together with a re-definition of *Achnanthidium*. *Diatom Research* 11 (2) : 345-361.
- Round, Crawford & Mann 1990.** The Diatoms. Biology and morphology of the genera. *Cambridge University Press*, Cambridge. 745 pp.
- Ruck & Kociolek 2005. Preliminary phylogeny of the Family Surirellaceae (Bacillariophyta). *Bibliotheca Diatomologica* 50: 1-236
- Ruck & Kociolek 2004.** A preliminary phylogeny of the family Surirellaceae. *Bibliotheca Diatomologica* 50. 236 pp.

Rumrich, Lange-Bertalot & Rumrich 2000. Diatoms of the Andes. From Venezuela to Patagonia/Tierra del Fuego and two additional contributions. In Lange-Bertalot (Eds.), Phytogeography-Diversity-Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 9. *Koeltz Scientific Books*, Königstein, Germany. 673 pp.

Rushforth & Spaulding 2010. In *Diatoms of the United States*.

S

Sabater & Klee 1990. Observaciones sobre diatomeas centrales del fitoplancton del Rio Ebro, con especial interés en algunas pequeñas *Cyclotella*. *Diatom Research* 5 (1) : 141-154.

Sabater, Tomas, Cambra & Lange-Bertalot 1990. Diatom flora of the Cape of Creus peninsula, Catalonia, N.E. of Spain. *Nova Hedwigia* 51 (1-2) : 165-195.

Sala, Guerrero & Ferrairo 1993. Redefinition of *Reimeria sinuata* (Gregory) Kociolek & Stoermer and recognition of *Reimeria uniseriata* nov. sp. *Diatom research* 8 (2) : 439-446.

Sar, Sunesen & Lavigne 2010. *Cymatotheca*, *Tryblioptychus*, *Skeletonema* and *Cyclotella* (Thalassiosirales) from Argentinian coastal waters, Description of *Cyclotella cubiculata* sp. nov. *Vie et Milieu* 60 : 135-156.

Scheffler & Morabito 2003. Topical observations on centric diatoms (Bacillariophyceae, Centrales) of Lake Como (N. Italy). *Limnologia* 62 (1) : 47-60.

Schimanski 1978. Beitrag zur Diatomeeflora des Frankenwaldes. *Nova Hedwigia* 30 : 557-634.

Schmidt 1874-1959. Atlas der Diatomaceen-Kunde. *R. Reisland*, Leipzig. Parts 1-120, 460 pls.

Schmidt 1902. Atlas der Diatomaceen-kunde. *O.R. Reisland*, Leipzig. Series V, Heft 59-60 : 233-240 pls.

Schmidt 1912. Atlas der Diatomaceen-kunde. *O.R. Reisland*, Leipzig. Series VI, Heft 71 : 281-284 pls.

Schmidt 1913. Atlas der Diatomaceen-kunde. *O.R. Reisland*, Leipzig. Series VII, Heft 73 : 289-292 pls.

Schmidt 1936. Atlas der Diatomaceen-kunde. *O.R. Reisland*, Leipzig. Series VIII, Heft 101-102 : 401-408.

Schmidt 1940. Atlas der Diatomaceen-kunde. *O.R. Reisland*, Leipzig. Series VIII, Heft 109-112 : 433-448 pls.

Schmidt 1881. Atlas der Diatomaceen-kunde. *Aschersleben, Commissions-Verlag Von Ludwig Siever's Buchandlung*, Vol Series II, Heft 17-18 : 65-72 pls.

Schoeman 1970. Diatoms from the Orange Free State (South Africa) and Lesotho. No. 3. *Botanica Marina* Supplément 13 : 49-72.

Schoeman & Archibald 1986. Observations on *Amphora* species (Bacillariophyceae) in the British Museum (Natural History). V. Some species from the subgenus *Amphora*. *South African Journal of Botany* 53 : 425-437.

Schönfeld 1924. Ein Torf- und Kieselgurlager in den Seewiessen bei Dresden-Kaditz. *Sitzungsberichte und Abhandlungen der Naturwissenschaftlichen Gesellschaft Isis*, Dresden.

Schulz 1926. Die Kieselalgen der Danziger Bucht mit Einschluss derjenigen aus glazialen und postglazialen Sedimenten. *Botanisches Archiv. Königsberg* 13 (3/4) :149-327.

Schumann 1862. Preussische Diatomeen. *Schriften der königlichen physikalisch-ökonomischen Gesellschaft zu Königsberg* 3 (Abh.) : 166-192.

Schumann 1867. Preussische diatomeen. *Schriften der königlichen physikalisch-ökonomischen Gesellschaft zu Königsberg* 8 (Abh.) : 37-68.

Simonsen 1979. The diatom system : ideas on phylogeny. *Bacillaria* 2 : 9-71.

Simonsen 1987. Atlas and catalogue of the Diatom Types of Friedrich Hustedt. *J. Cramer* (Eds.), Berlin & Stuttgart. Vol. 1 : 525 pp. ; Vol. 2 : 1-395 pls. ; Vol. 3 : 396-772 pls.

Siver & Kling 1997. Morphological observations of Aulacoseira using scanning electron microscopy. *Canadian Journal of Botany* 75 : 1807-1835.

Siver, Hamilton, Stachura-Suchoples & Kociolek 2005. Diatoms of North America : The freshwater flora of Cape Cod, Massachusetts, U.S.A In Lange-Bertalot (Eds.), Diatoms of North America, Iconographia Diatomologica - Annotated Diatom Micrographs, Vol. 14. A.R.G. Gantner Verlag K.G. 463 pp.

Skabichevskii 1960. Planktonnye diatomovye vodorosli presnykh vod S.S.S.R. (Freshwater planktonic diatoms of the U.S.S.R.). Moskovskoe obshchestvo ispytatelei prirody. *Otdelbiologicheskii* 2 (19) : 318-320.

Slate & Stevenson 2007. The diatom flora of phosphorus-enriched and unenriched sites in an everglades marsh. *Diatom Research* 22 (2) : 355-386.

Smith 1851. Notes on the Diatomaceae, with descriptions of British Species included in the genera Campylodiscus, Surirella and Cymatopleura. *Annals and Magazine of Natural History, Series 2, Vol. 7* : 1-14, 1-3 pls.

Smith 1853. Synopsis of British Diatomaceae. *John Van Voorst*, London. Vol. 1. 89 pp., 1-31 pls.

Smith 1856. Synopsis of British Diatomaceae. *John Van Voorst*, London. Vol. 2. 107 pp., 32-60 pls., 61-62 pls.

Smucker, Edlund & Vis 2008. The distribution, morphology and ecology of a non-native species, *Thalassiosira lacustris* (Bacillariophyceae), from benthic stream habitats in North America. *Nova Hedwigia* 87 : 201-220.

Snoeijs 1992. Studies in the *Tabularia fasciculata* complex. *Diatom research* 7: 313-344.

Souza & Moreira-Filho 1999. Diatoms (Bacillariophyceae) of two aquatic macrophyte banks from Lagoa Bonita, Distrito Federal, Brazil, I: Thalassiosiraceae and Eunotiaceae. *Bulletin du Jardin Botanique National de Belgique* 67 : 259-278.

Spaulding & Edlund 2009. In *Diatoms of the United States*.

Stepanek 2011. In *Diatoms of the United States*.

Stepanek & Kociolek 2011. In *Diatoms of the United States*.

Sterrenburg 1992. Studies on the genera Gyrosigma and Pleurosigma (Bacillariophyceae). The type of the genus Gyrosigma and the other attenuati sensu Peragallo. *Diatom Research* 7 (1) : 137-155.

Sterrenburg 1994. Studies on the genera Gyrosigma and Pleurosigma (Bacillariophyceae). *Proceedings of the Academy of Natural Sciences of Philadelphia* 145 : 217-236.

Sterrenburg 1995. Studies on the genera Gyrosigma and Pleurosigma (Bacillariophyceae). Gyrosigma acuminatum (Kützing) Rabenhorst, G. spenceri (Quekett) Griffith et Henfrey and G. rautenbachiae Cholnoky. *Proceedings Academy of Natural Sciences of Philadelphia* 146 : 467-480.

Stoermer & Andresen 2006. Atypical Tabularia in Coastal Lake Erie, USA. In Ognjanova-Rumenova & Manoylov (Eds.), Fossil and recent phycological studies. *Pensoft Publisher, Sofia-Moscow*. 351-361.

Stoermer, Håkansson & Theriot 1987. Cyclostephanos species newly reported from North America: C.tholiformis sp. nov. and C.costatilimbus comb.nov. *British Phycological Journal* 22 : 349-358.

Stoermer, R.G. Kreis & Sicko-Goad 1981. A systematic, quantitative, and ecological comparison of Melosira islandica O. Mull. with M. granulata (Ehrenberg) Ralfs from the Laurentian Great Lakes. *Journal of Great Lakes Research* 7 : 345-356.

Stroganov 1927. Volga, Oka i Moskva-reka v kachestve istochnikov vodosnabzheniya g. Moskvyy. *Hidrobiologicheskie issledovaniya* (Trudy Komissii po izyskaniyu novykh istochn. vodosnabzh g. Moskvyy), Moskva 3. 206 pp.

Sullivant & Wormley 1859. On the measurement of the striae of Diatoms. *American Journal of Science* 27 : 249-252.

Szabó, Kiss, Tóth, Metzeltin & Ács 2007. Navicula novaesiberica Lange-Bertalot; a new record of the species from the Danube River in Hungary. *Diatom research* 22 (2) : 497-502.

T

Tanaka 2007. Taxonomic Studies of the Genera Cyclotella (Kützing) Brébisson, Discostella Houk et Klee and Puncticulata Hakansson in the Family Stephanodiscaceae Glezer et Makarova (Bacillariophyta) in Japan. *Bibliotheca Diatomologica* 53 : 1-204

Tanaka & Nagumo 2004. Four cyclotelloid taxa characterized by a ligula-like segment on valvocopula. In Poulin (Eds.), Proceedings of the Seventeenth International Diatom Symposium, Ottawa Canada, 25-31 August 2002. *Biopress Limited, Bristol, England*. 399-409

Taylor, Harding & Archibald 2007. An illustrated guide to some common Diatom species from South Africa. Water Research Commission. 200 pp.

Theriot 1987. Validation of the centric diatom genus *Cyclostephanos*. *British Phycological Journal* 22 : 345-347.

Theriot, Stoermer & Håkansson 1987a. Taxonomic interpretation of the rimoportula of freshwater genera in the centric diatom family Thalassiosiraceae. *Diatom Research* 2 (2) : 251-265.

Thomas, Kociolek, Lowe & Johansen 2009. Taxonomy, Ultrastructure and Distribution of Gomphonemoid Diatoms (Bacillariophyceae) from Great Smoky Mountains National Park (U.S.A.). *Nova Hedwigia Beiheft* 135 : 201–238.

Theriot, Håkansson, Kociolek, Round & Stoermer 1987b. Validation of the centric diatom genus *Cyclostephanos*. *British Phycological Journal* 22 : 345-347.

Thwaites 1848. Further observations on the Diatomaceae with descriptions of new genera and species. *Annals and Magazine of Natural History* 2 (1) : 161-172.

Trobajo & Cox 2006. Examination of the type material of *Nitzschia frustulum*, *N. palea* and *N. palea* var. *debilis*. In Witkowski (Eds.), Proceedings of the 18th International Diatom Symposium, Miedzyzdroje, Poland, 2-7 September 2004. *Biopress Limited, Bristol, England*. 431-445.

Trobajo, Mann, Chepurnov, Clavero & Cox 2006. Taxonomy, life cycle, and auxosporulation of *Nitzschia fonticola* (Bacillariophyta). *Journal of Phycology* 42 : 1353-1372.

Trobajo, Rovira, Ector, Wetzel, Kelly & Mann 2013. Morphology and identity of some ecologically important small *Nitzschia* species. *Diatom Research* 28 (1) : 37-59.

Trobajo, Clavero, Chepurnov, Sabbe, Mann, Ishihara & Cox 2009. Morphological, genetic and mating diversity within the widespread bioindicator *Nitzschia palea* (Bacillariophyceae). *Phycologia* 48 (6) : 443-459.

Tudesque, Rimet & Ector 2008. A new taxon of the section *Nitzschiae Lanceolatae* Grunow: *Nitzschia costei* sp. nov. compared to *N. fonticola* Grunow, *N. macedonica* Hustedt, *N. tropica* Hustedt and related species. *Diatom Research* 23 (2) : 483-501.

Tuji 2007. Type examination of *Fragilaria gracilis* Østrup (Bacillariophyceae). *Bulletin of the National Museum of Nature and Science, Serie B, Vol. 33* : 9-12.

Tuji & Houki 2004. Taxonomy, ultrastructure and Biogeography of the *Aulacoseira subarctica* species complex. *Bulletin of the National Science Museum, Tokyo, Series B (Botany), Vol. 30 (2)* : 35-54.

Tuji & Williams 2006. Type examination of the freshwater centric diatom *Aulacoseira pusilla* (F. Meister) Tuji et Houk. *Diatom* 22 : 70-73.

U

Ussing, Gordon, Ector, Buczko, Desnitskiy & Vanlandingham 2005. The colonial diatom *Bacillaria paradoxa*: chaotic gliding motility, Lindenmeyer Model of colonial morphogenesis, and bibliography, with translation by O.F. Muller (1783) In Witkowski (Eds.), "About a peculiar being in the beach water", *Diatom Monographs, Vol. 5. A.R.G. Gantner Verlag K.G.* 139 pp.

V

Van de Vijver & Lange-Bertalot 2009. New and interesting Navicula taxa from Western and Northern Europe. *Diatom Research* 24 (2) : 415-429.

Van de Vijver & Mataloni 2008. New and interesting species in the genus Luticola D.G. Mann (Bacillariophyta) from Deception Island (South Shetland Islands). *Phycologia* 47 (5) : 451-467.

Van de Vijver, Beyens & Lange-Bertalot 2004. The genus Stauroneis in Arctic and Antarctic Regions. *Bibliotheca Diatomologica* 50. 312 pp.

Van de Vijver, Frenot & Beyens 2002. Freshwater diatoms from Ile de la Possession (Crozet Archipelago, Subantarctica). *Bibliotheca diatomologica* 46 : 1-412.

Van de Vijver, Zidarova, Sterken, Verleyen, de Haan, Vyverman, Hinz & Sabbe 2011. Revision of the genus Navicula s.s. (Bacillariophyceae) in inland waters of the Sub-Antarctic and Antarctic with the description of five new species. *Phycologia* 50 (3) : 281-297.

Van Heurck 1880. Synopsis des Diatomées de Belgique. Atlas. *Ducaju & Cie.*, Anvers. 1-30 pls.

Van Heurck 1881. Synopsis des Diatomées de Belgique. Atlas. *Ducaju & Cie.*, Anvers. 31-77 pls.

Van Heurck 1882. Synopsis des Diatomées de Belgique. Atlas. *Ducaju & Cie.*, Anvers. 78-103 pls.

Van Heurck 1885. Synopsis des Diatomées de Belgique. Texte. *Martin Brouwers & Co.*, Anvers. 235 pp.

Van Heurck 1896. A Treatise on the Diatomaceae. Translated by W.E. Baxter. *William Wesley & Son*, London. 558 pp., 35 pls.

Von Schönfeldt 1907. Diatomaceae Germaniae : die deutschen Diatomeen des Susswassers und des Brackwassers. *W. Junk*, Berlin. 263 pp., 19 pls.

W

Wachnicka & Gaiser 2007. Characterization of Amphora and Seminavis from South Florida, U.S.A. *Diatom Research* 22 (2) : 387-455.

Wallace 1960. New and Variable Diatoms. *Notulae Naturae* (Academy of Natural Sciences of Philadelphia) 331. 8 pp.

Wendker 1990. Morphologische Untersuchungen an Populationen aus dem Formenkreis um Nitzschia frustulum (Küt.) Grun. *Diatom Research* 5(1): 179-187.

Werum & Lange-Bertalot 2004. Diatoms in springs from Central Europe and elsewhere under the influence of hydrogeology and anthropogenic impacts. In Lange-Bertalot (Eds.), *Ecology-Hydrology-Taxonomy, Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 13. *A.R.G. Gantner Verlag K.G.* 417 pp.

Williams 1985. Morphology, taxonomy and inter-relationships of the ribbed araphid diatoms from the genera *Diatoma* and *Meridion* (Diatomaceae: Bacillariophyta). *Bibliotheca Diatomologica* 8 : 1-228.

Williams & Round 1986. Revision of the genus *Synedra* Ehrenberg. *Diatom Research* 1 (2) : 313-339.

Williams & Round 1987. Revision of the genus *Fragilaria*. *Diatom research* 2 : 267-288.

Williams & Round 1988. *Fragilariforma*, nom. nov., a new generic name for *Neofragilaria* Williams & Round. *Diatom research* 3 (2) : 265-267.

Williams & Morales 2010. *Pseudostaurosira mediniae*, a new name for *Pseudostaurosira elliptica* (Gasse) Jung & Medlin. *Diatom Research* 25 (1) : 225-226.

Witkowski & Lange-Bertalot 2004. Note : *Ehrenbergiulva* Witkowski, Lange-Bertalot et Metzeltin nom.nov. a new name for *Ehrenbergia* Witkowski et al. *Diatom Research* 19 (1) : 143-144.

Witkowski, Lange-Bertalot & Witak 1995. Diatom taxa of unusual frustule structure belonging to the genus *Fragilaria*. *Fragmenta Floristica et Geobotanica* 40 (2) : 729-741.

Witkowski, Lange-Bertalot & Metzeltin 2000. Diatom flora of marine coasts I. In Lange-Bertalot (Eds.), *Diversity-Taxonomy-Identification, Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 7. Koeltz Scientific Books, Königstein, Germany. 925 pp.

Wojtal 2004. New or rare species of the genera *Achnantheidium* and *Psammothidium* (Bacillariophyceae) in the diatom flora of Poland. *Polish Botanical Journal* 49 (2) : 215-220.

Wojtal, Ector, Van de Vijver, Morales, Blanco, Piatek & Smieja 2011. The *Achnantheidium minutissimum* complex (Bacillariophyceae) in Southern Poland. *Algological Studies* 136/137 : 211-238.

Wydrzycka & Lange-Bertalot 2001. Las diatomeas (Bacillariophyceae) acidofilas del río Agrio y sitios vinculados con su cuenca, volcán Poás, Costa Rica. *Brenesia* 55-56 : 1-68.

Y

Yanlinkg, Lange-Bertalot & Metzeltin 2009. Diatoms in Mongolia. *Sichuania lacustris* spec. et gen. nov. In Lange-Bertalot (Eds.), *Iconographia Diatomologica - Annotated Diatom Micrographs*, Vol. 20. A.R.G. Gantner Verlag K.G. 702 pp.

You, Liu, Wang & Wang 2009. Taxonomy and distribution of diatoms in the genera *Epithemia* and *Rhopalodia* from the Xinjiang Uygur Autonomous Region, China. *Nova Hedwigia* 89 : 397-430.

Z

Zidarova, Van de Vijver, Quesada, de Haan 2010. Revision of the genus *Hantzschia* (Bacillariophyceae) on Livingston Island (South Shetland Islands, Southern Atlantic Ocean). *Plant Ecology and Evolution* 143 (3) : 318-333.

Zimmermann, Poulin & Pienitz 2010. Diatoms of North America : The Pliocene-Pleistocene freshwater flora of Bylot Island, Nunavut, Canadian High Arctic. In Lange-Bertalot (Eds.), *Iconographia Diatomologica - Annotated Diatom Micrographs*, Volume 21. *A.R.G. Gantner Verlag K.G.* 407 pp.